■ Allopathic ■ Ayurvedic ■ Herbal ■ Nutraceuticals ■ Cosmetic ■ Bio - Technology ■ & O.T.S. Products.

INDIA

For Export Products | www.exportdrugsbazar.com www.exportdrugsales.com



Taj Pharmaceuticals Ltd.

| ISSUE 5 | 2008 | Rs.160 | www.tajpharmaceuticals.com www.tajfordoctors.co.in www.exportdrugtoday.com

Product Index

With Price List

RUSSIAN FEDERATION ECONOMY DEVELOPER AWARD 2006-2007



INDIAN COMPANY TAJ PHARMACEUTICALS LTD.

First Winner in India for Joint Colobration in Foriegn Market


R&D Manufacturing Marketing Lab Technology

For Domestic | www.drugsmandi.com www.drugbazarindia.com











TAJ PHARMACEUTICALS LTD. (ESTD. - 1995) Curing lives




LIFE: It is the underlying purpose of every thing we do at TAJ PHARMACEUTICALS LTD. Our Company work with an urge and commitment towards development of a distinguished range of branded Pharmaceuticals and in the process, aim at developing medicaments falling under the category of latest molecules as well, in addition to those so far accepted ones.

The manufacturing facilities of Taj pharmaceutical Ltd are USA-FDA,MCA,TGA &WHO-Scheduled 'M' certified by the government of India. The Range of Manufacturing product is quite exhaustive, which comprises of over 1565 products in the following categories:-

- (I) DIABETIC CARE PRODUCTS
- (II) DELIVERY SYSTEMS
- (III) GROWTH HORMONES AND MAJOR THERAPEUTIC SEGMENTS, SUCH AS:
- 1) Antibiotics
 2) Vitamins
 3) Analgesics
- 4) Dermatological
- 5) Anti-infective
- 6) Oncological
- 7) Food Supplements
- 8) Antioxidants
- 9) Calcium Supplements
- 10) Diuretics
- 11) Peripheral Vasodilators
- 12) Ophthalmology
- 13) Anti-inflammatory

- 14) Gynaecologicals
- 15) Antipyretics
- 16) Cardio-vascular
- 17) Natural/Ayurvedic/Herbal Formulations
- 18) Hygiene Products
- 19) Herbal Cosmetics,
- 20) Body Lotions, Body Creams
- 21) Beauty Care products
- 22) Aloe Vera-based products
- 23) A very wide range of OTC products
- 24) Generics

Note: Current prices are mentioned according to raw-materials price, if prices of raw-materials will be increase or decrease, prices will be effect due to raw-materials prices in future.











Message _______ (For Distributors / Stockists / Retailers)

Dear Friends.

J personally felt so far as compare to foreign Market and their Pharmaceuticals companies in terms of Research and Development, Outsourcing and contract Manufacturing etc. capabilities at larger Prospects, we have not yet genuinely began progressing at India so far in greater scales, Since we have a huge ever growing Population, and I wish if our government should address this fact and needs to introduce some new economy reforms to develop Pharmaceuticals Industries here also to avail better health facilities.

We have a strong chance to rediscover our capabilities, and to attain maximum growth rate at very short span of time; and the finest example is our neighboring country china has overtaken the Pharmaceuticals Industry growth at highest level getting constant support system from government and banking sectors.

I am also looking forward for the new Joint-ventures, for Contract Manufacturing, Outsourcing and Research and Development at our Domestic Market for the upcoming years more purposely and dynamically and we are sure till 2009, we will be in the front rank of Indian Pharmaceuticals Industry in terms of revenue, Infrastructure and better Management systems of Logistics etc. and expected turn over will be 2600 Crores Indian Currency.

"I am highly thankful to all your supports led to our company so far"!

Thanking You,

For Taj Pharmaceuticals Ltd.,

(Dr. R.K. Singh) C.M.D

'' इस दुनियाँ में, जो सौ करोड़ आवादियों के बीच खो गया, उसे दुनियाँ याद नहीं रखती, तुम क्या हो ? सावित करो ! हाँ लोग तुम्हे पागल कहेगे, लेकिन पूरा विश्व तुम्हे याद रखेगा'' - Dr. R.K. Singh

PRODUCT INDEX

ALLOPATHIC PRODUCTS	1	Life BC-Vita	10	Cleodin	19	Speed Energy Gold	29
Abcavir		Lincozin	10	Ceptradin	19	Stomoco Care	29
Activital	1	Lipirol	10	Cyclozobid	19 19	Stone Mine Capsules	29
Activital - Z	1	Lipirol - AM Lopresor	10 11	Dytro-Kem Dopacard	20	Taj Hair Care	29
Amlace	1	Lactan	11	Dukinase	20	Taj Hair Conditioner Taj Glucose - D	29
Altrol	1	Martispasol	11	Dobisil	20	Taj Glucose - C	29
Alfuzin Alzocum	1 2	Malzorir	11	Duralin	20	Taj Honey	30
Asthom	2	Mephentine	11	Deca Duralin	20	Taj Shaktiman	30
Asthom Forte	2	Mexoquine	11	Emetron	20	Thyrin Powder	30
Ascardil	2	Metherlin	11	Enbrol Fluxium	20 21	Thyrin Capsules	30
Ascodryl	2	Mycomun Mifebort	11	Lincozin	21	Thyrin Syrup Vaidics Cough Goli	30
Adevera Azeed	2 2	Misobort	11	Methyamin	21		00
Blood-Donar	2	Norvate	12	Mydrolol	21	O.T.C. PRODUCTS	
Benacof (Syrup)	3	Namosid	12	Magsul	21	Borozen Plus	30
Bonycal	3	Namosid - T	12	Maxipaar	21	Chyawanprash	30
Bonycal (Syrup) Brain Toner (Syrup)	3	Namoside - Cold Namosid - D	12 12	Metherlin Merokem	21	Deep Relief Dr. Dentist Mouth Wash	30
Brain Toner (Syrup)	3	Namosid - Plus	12	Nitrofast	21	lomax	31
Cetrilin	3	Nerovir	12	Neurovital Forte	22	Krank Cream	31
Cetrilin - A	3	Nicotoxin	12	Paracin	22	Life Care Dry Fruit Powder Syrup	31
Celicard	3	Neurovital Forte	13	Panadol	22	Look's Body Lotion	31
Calcium Ostrong Cardivas	4	Neogra	13	Pipranem	22	Look's Fairness Cream	31
Cepokem	4	Ocip Ostopan	13	Pantopan Rexipro	22	Look's Scrub Look's Massager	31
Ceptrox	4	Osto-Jointer	13	Setraxone	22	Look's Hair Formula Pack	31
Cadrol	4	Painrelief	13	Sumedrol	22	Look's Shaving Cream	31
Cardisec	4	Pinetal 400	13	Silprex 10 mg Inj.	22	Look's After Shaving Lotion	31
Cinzole Clithrocin	4	Prilosid	13	Teracort	23	Look's Hair Dye	31
Cocorex (Syrup)	4	Panadol Actifast Pantopan	14	Ketafast	23	Look's Hair Dye (Natural Black)	31
Combi Fast	4	Prilosid -DM	14 14	Testerone Tranexa	23	Look's Mehandi Look's Turmeric Cream	31
Combi Fast Plus	4	Pronol	14	Ulteria	23	Look's Hair Conditioner Shampoo	31
Corlar - La	4	Pyroxi-Kid	14	Zentrom	23	Look's Bleach	32
Depra Deprexx	5 5	Paracin (Syrup)	14	Zevadex B-Com. Inj.	23	Lady Look's	32
Dezrol La	5	Paracin	14	EAR/EVE BRODO		Look's Hair Oil	32
Diaros	5	Prothiaden	14	EAR/EYE DROPS		Look's All Purpose Cream Look's Face Pack	32
Diaros - M	5	Propenast Raciloc	14 14	Benotol	24	Look's Shampoo	32
Dopin Dectrovir	5	Relax - D	15	Defloxine Gentabet	24	Look's Honey For Face	32
Dectrovir - N	5 6	Serafen - P	15	Isotine	24	Look's Awala Shikakai Shampoo	32
Diabanerve	5	Setro	15	1. Contractive to		Look's Anti Dandruff Oil	32
Ditanex	6	Setradox	15	HERBAL PRODUCTS	W. S.	Look's Triphla Powder	32
Dr. Dentist	6	Safety - Sex Silprex	15	Anomin Powder	24	Look's Powder (Mint) Look's Hair Tonic	32
Dilpril Dizicum (Syrup)	6 6	Suhagan / Playgra	15 15	Anti Arthritis	24	Look's Hair Dye (Brown Colour)	33
Dizicum	6	Tenolol	15	Anomin Capsules Anomin Syrup	24	Look's Mud Pack	33
Deep Relief	7	Tresto-I.M	15	Bludcor Powder	25	Look's Mud Pack with Neem	33
Dytor-Kem	6	Tiagra	15	Bludcor Capsules	25	Look's Mud Pack with Herbal	33
Eleven Seas Empera	7	Triclosan	16	Bludcor Syrup	25	Look's Mud Pack with Orange Look's Skin Oil	33
Endocard	7 7	Trip-Mini Trip	16	Breastonic	25	Nozol Icy Cool	33
Erythrozin	7	Tirp-Max	16	Chyawanprash Special	25	Taj Diaba Sweetex (Herbal)	33
Famexavir	7	Tuberbutol - 400	16	Gastrone Hari Tulsi Kadha	25	Taj Lipguard	33
Famiket	7	Tifolic	16	Hepatis Powder	25	Taj Itchuk Guard	33
Festin - N Floxin - OZ	8 8	TP-ROX-A	16	Hepatis Capsules	26	Taj Herbal Tea	34
Floxin (Syrup)	8	Tefaquine - 300 mg	16	Hepatis Syrup	26	Taj Mugal-E-Ajam Sharbat Trishul Balm	34
Fantizole	8	Tocoder Troxim - O (Syrup)	16	Hajma - G	26	Taj Lal Tel	34
Fruitomin	8	Troxim - DT	17	Honisip Jandina Pouder	26	Vaidic Balm	34
Femidin Frusem	8	TP - Mox - LB	17	Jondiso Powder Jondiso Capsules	26	Vatsalya Gripe Water / Wingard's	34
Fetrasil	8 8	Triamune	17	Jondiso Syrup	26	B	34
Gatimin - OZ	8	Thyronim	17	Joint Pain Killer	26	Driryan Infant Milk Powder Driryman Instant full Cream Milk Powder	34
Gatimin	8	Ultreria Vitalizer	17	Kali Tulsi Kadha	27	Dairyman Dairy Whitener	34
Gynae-C.V.P.	8	Zevadex	17	Lukomin Syrup	27	Lactovite	35
Gynameno-Plus Gynasafe	9	Zedvin - T	18	Livovon Capsules	27	NEW INTRODUCTION PRODUCT	-C-104-000000000000000000000000000000000
Gynapill	9	Zithromin - 100 ml (Syrup)	18	Livovon Syrup Lifecare isabgol	27		100000
G-Pill	9	Zolep	18	Lifecare Shankha Pushpi Syrup	27	Hippos	35
Hito-En	9	Zentic - 400	18	Lifecare Strong	28	Avemox 400 mg. Nervolin Capsule	35
Ibrofen Indivir - 400	9	INJECTIONS		Lifecare Skin Toner	28	Fenacor	35
Indivir - 400	9 9	Alphen	18	Ohyflax	28	Glucoride	35
Isotenex	9	Artemotial	18	Pudina Pachak Budina Pachak Liquid	28	TAJ BABY PRODUCTS	
Isotromin	9	Atropine	18	Pudina Pachak - Liquid Pudina Pachak - Acidog	28		8898
Lamovir-S	10	Beprin	19	Renolin Powder	28	Taj Baby Soap	35
Lobivir	10	Bactram Cepokem	19 19	Renolin Capsules	28	Taj Baby Shampoo Taj Baby Oil	35
Lefunodin Levigra /Speed Energy	10	Cefozone	19	Renolin Syrup	28	Taj Baby Lotion	35
Lomodex	10	Clamoxin	19	Speed Energy	29	Taj Baby Cream	35
			100 mar (100 mar (100 mar)				

Tablets of Vitamin B Complex with B₁₂

Jeurovital Forte

Vitamin B12 deficiency (B12def) leads to Neurological manifestations and affects all age groups

Product ● Compositions ● Indications ● Dosage ● Contents

ALLOPATHIC PRODUCTS

ABCAVIR

Each tablet contains :

Abacavir Sulphate 300 mg

Colour: Approved colour used

Indications: Abcavir is used in combination with other medications to treat human immunodeficiency virus (HIV) infection in patients with or without acquired immunodeficiency syndrome (AIDS). Abcavir is in a class of antiviral medications called nucleoside reverse transcriptase inhibitors (NRTIs). It works by slowing the spread of HIV infection in the body. Abcavir is not a cure and may not decrease the number of HIVrelated illnesses. Abcavir does not prevent the spread of HIV to other people. Dosage: Abcavir comes as a tablet and a solution (liquid) to take by mouth. It is usually taken twice a day with or without food. To help you remember to take abcavir, take it around the same time every day. Follow the directions on your prescription label carefully, and ask your doctor or pharmacist to explain any part you do not understand. Take abcavir exactly as directed. Do not take more or less of it or take it more often than prescribed by your doctor. Continue to take abcavir even if you feel well. Do not stop taking abcavir without consulting your doctor.

Presentations: MRP Retailer Stockist 30 tablets 1800.00 1440.00 1296.00

ACTIVITAL

Each Capsule Contains:	
Vitamin A	2500IU
Vitamin B1	1 mg.
Vitamin B2	1 .5mg.
Vitamin B3	10 mg.
Vitamin B5	5 mg.
Vitamin B6	1 mg.
Vitamin B12	1 mca.
Vitamin C	
Vitamin D3	200IŬ
Vitamin E	5 mg.
Folic Acid	0.15 mg.
Calcium	75 mg.
Phosphorus	58mg. mg.
Ferrous Fumarate	30 mg.
Zinc	10 mg
Magnasium	3 mg.
Potasium	2 mg.
Copper	0.5 mg.
lodine	
Energy	4.96 kcl.
Carbohydrate	0.16g.
Protiein	
Fat	0.46 g.
Ginseng	42.5 mg.

Indications: Activital is a comprehensive daily food supplement that has a balanced combination of vitamins, minerals and ginseng.

Dosage: Activital can be taken after the meals any time during the day but preferably should be taken after breakfast. Incase you find it difficult to swallow the capsule with a liquid, you may cut it open, press the contents in a spoon and mix a little jam or honey before taking it. Activital can be taken by both male and females over 12 years of age. Activital is suitable for diabetics as it does not contain sugar.

Presentations: MRP Retailer Stockist 125.00 30 Capsules 100.00 90.00 44.00 39.60 10 Capsules 55.00

ACTIVITAL-Z

Each 2gm Contains:	
Dextrose	17.5mg
Sucrose	14mg
Zinc Sulphate	32.5mg
Vitamin C	50mg
Vitamin B1	2.5mg
Vitamin B12	
DI-methionine	

Colour: Approved colour used

Indications: Activital is a comprehensive daily food supplement that has a balanced combination of vitamins, minerals and ginseng.

Dosage: Activital can be taken after the meals any time during the day but preferably should be taken after breakfast. Incase you find it difficult to swallow the capsule with a liquid, you may cut it open, press the contents in a spoon and mix a little jam or honey before taking it. Activital can be taken by both male and females over 12 years of age. Activital is suitable for diabetics as it does not contain sugar.

Presentations:	MRP	Retailer	Stockist	
50 gm	10.00	8.00	7.20	
100 gm	18.00	14.40	12.96	
250 gm	42.00	33.60	30.24	

AMLACE

Each T	ablet	Contains	:

INDICATIONS: I) HYPERTENTION II) ANGINA.

DOSAGE: ADULTS: 5 MG OD. MAX.: 10MG PER DAY.

MRP Presentations: Retailer Stockist

10 Tabs. 29.96 21.57

ALTROL

Each film-coated tablet contains:

Colour: Approved colour used

Indication: Anastrozole can also be prescribed as adjuvant therapy (treatment that improves the action of another medication) in women with early breast cancer, however, it is not currently PBS subsidised for primary prevention of breast cancer, used to treat some types of breast cancer that depend on estrogen to grow and anastrozole can stop tumor growth by blocking estrogen production.

Dosage: As per the Physician's advice.

Presentations: Retailer Stockist 14 tabs. 695.00 556.00 500.40

ALFUZIN

Each tablet contains :

Alfuzosin......10 mg

Colour: Approved colour used

Indications: Alfuzosin is used to treat symptoms of benign prostatic hyperplasia (BPH, enlarged prostate) such as frequent, urgent need to urinate during the day and at night, weak urine stream, and difficulty urinating. Alfuzosin is in a class of medications called alpha-adrenargic blockers. It works by relaxing the muscles in the prostate and bladder neck to allow urine to flow more easily.

Dosage: As per the physician's advice.

Presentations: Stockist Retailer 10 tablets 79.50 63 60 57.24

*''कौन कहता है? व्यवसाय किस्मत से होता, जिन्हे अपने पर भरोसा नहीं होता, किस्मत की बात कह के टाल देते हैं! सबसे पहले अपने पर भरोसा करना सीखों''



Neogra is prescribed to treat erectile dysfunction (ED)

Available in (25-mg, 50-mg, 100-mg) tablets.



◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

ALZOCUM 0.2	25mg			ASCODRYL			
Each Tablet Contains:				Each 5ml contains :			
Alprazolam I. P				Terbutaline			
Excipients			q.s.	Sulphate IP			1.25 mg
Colour : Approved colour	used			Bromihexine			
Indication: Anxiety disorde		ia, panic disorde	ers. depression.	Hydrochloride IP			2 mg
Presentations :	MRP	Retailer	Stockist	Guaiphenesin IP			50 mg
10 Tablets	12.00	9.50	8.64	Menthol IP			0.5 mg
ALZOCUM 1n	na			Flavoured Syrup base	50		
Each Tablet Contains:	-9			Colour : Sunset Yellow F	100000000000000000000000000000000000000	5.000 A.500	
Alprazolam I. P			1mg.	Presentations :	MRP	Retailer	Stockist
Excipients				100 ml	45.00	36.00	32.40
Colour : Approved colour			8.25	ADEVERA			
Indication: Anxiety disorde		ia, panic disorde	ers. depression.	Each uncoated tablet of	ontaine:		
Presentations :	MRP	Retailer	Stockist	Adefovir Dipivoxil			10 mg
10 Tablets	24.00	19.20	17.28	Colour : Approved colou			
				Indications : Adevera®		oxil) is a prescri	ption medicine
ASTHOM				used to treat chronic infe			
Salbutamol Sulphate IP			1.25 mg	does not cure chronic He	epatitis B, and	it does not red	uce the risk of
Bromhexine				spreading Hepatitis B to			
Hydrochloride IP				stop H - B virus (HBV) fron		•	
Guaiphenesin IP			_	an enzyme that is necess	10.500		
Menthol IP			•	Dosage: Adevera® (ade that you take once a day	,		
Flavoured Syrup base				& without food. If you have			
Colour : Sunset Yellow FC	F , Dosage :	As directed by	the Physician.	tell you to take the pill on			our doctor may
Presentations :	MRP	Retailer	Stockist	Presentations :	MRP	Retailer	Stockist
100 ml	45.00	36.00	32.40	30 tablets PVC Bottle with carto	575.00	460.00	414.00
ASTHOM FOI	RTE						
Each tablet contains:				47555 354			
Salbutamol Sulphate			4 mg	AZEED - 250			
Theophyline			200 mg	Each film coated tablet			
Colour: Approved colou				Azithromycin (anhydrous)			250mg
particularly indicated for p				(As Azithromycin Dihydra		120 10 100	20 000
maximal therapeutic doses				Presentations :	MRP	Retailer	Stockist
patients with severe asthma				6 Tablets	49.00	39.20	35.28
Presentations: 10 tablets	MRP 7.50	Retailer 6.00	Stockist 5.40				
TO tablets	7.50	0.00	5.40	AZEED - 500	DMG		
				Each film coated tablet	contains :		
ASCARDILL -	· 75 mg/1	150 mg		Azithromycin (anhydrous)	USP		500mg
Each tablet contains: (75	mg)			(As Azithromycin Dihydra			
A aminim							
Aspirin				Colours: Titanium Dioxide	e IP,		
Glycine				Colours: Titanium Dioxide Dosage: As Director by			
Glycine Each tablet contains: (15	50 mg)		37.5 mg			Retailer	Stockist
Each tablet contains: (15 Aspirin	50 mg)		37.5 mg	Dosage: As Director by	the physician.	Retailer 39.20	Stockist 35.28
Glycine	50 mg)		37.5 mg	Dosage: As Director by Presentations:	the physician.		
Each tablet contains: (15 Aspirin	50 mg) a low dose as	spirin that helps	37.5 mg150mg75mg prevent blood	Dosage: As Director by Presentations: 3 Tablets	the physician. MRP 49.00		
Glycine	50 mg) a low dose as	spirin that helps	37.5 mg150mg75mg prevent blood in patients with	Dosage : As Director by Presentations : 3 Tablets	the physician. MRP 49.00	39.20	
Each tablet contains: (15 Aspirin	a low dose ask of heart atta	spirin that helps ack and stroke i helps reduce bl is used to help		Dosage : As Director by Presentations : 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge	the physician. MRP 49.00 NAR Il capsule con	39.20	35.28
Glycine	a low dose as k of heart atta v dose aspirin ot. CARDILL i ich can be ca	spirin that helps ack and stroke i helps reduce bl is used to help aused by clottin		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR I capsule con	39.20	35.28
Glycine	a low dose as k of heart atta v dose aspirin ot. CARDILL i ich can be ca useful if you	spirin that helps ack and stroke i helps reduce bl is used to help aused by clottin are at risk of c		Dosage : As Director by Presentations : 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge	the physician. MRP 49.00 NAR I capsule con	39.20	35.28 92mg 15mg
Glycine	a low dose as k of heart atta v dose aspirin ot. CARDILL i ich can be ca useful if you chaemic attacl	spirin that helps ack and stroke i helps reduce bl is used to help aused by clottin are at risk of c		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR Il capsule con	39.20	35.28 92mg 15mg
Glycine	a low dose as k of heart attav dose aspirin ot. CARDILL ich can be ca useful if you chaemic attack.	spirin that helps ack and stroke i helps reduce bl is used to help aused by clottin are at risk of c ks (TIAs or mini		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR Il capsule con	39.20	35.28 92mg 15mg
Glycine	a low dose as k of heart attav dose aspirin ot. CARDILL i ich can be ca useful if you chaemic attack.	spirin that helps ack and stroke in helps reduce blis used to help aused by clottin are at risk of cks (TIAs or ministructure).		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR I capsule con e	39.20	92mg 15mg 1mg 61.8mg
Glycine	a low dose as k of heart attav dose aspirin ot. CARDILL i ich can be ca useful if you chaemic attack. sed Dosages	spirin that helps ack and stroke in helps reduce blis used to help aused by clottin are at risk of class (TIAs or ministrated by Retailer		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR I capsule con e	39.20	92mg 15mg 1mg 61.8mg
Glycine	a low dose as k of heart attav dose aspirin ot. CARDILL i ich can be ca useful if you chaemic attack.	spirin that helps ack and stroke in helps reduce blis used to help aused by clottin are at risk of cks (TIAs or ministructure).		Dosage: As Director by Presentations: 3 Tablets BLOOD-DO (Soft Gel) Each soft-ge Carbonyl Iron	the physician. MRP 49.00 NAR I capsule con e	39.20	92mg 15mg 1mg 61.8mg





Product ● Compositions ● Indications ● Dosage ● Contents

BENACOF (Syrup)

Each 5 ml. (Teaspoonful) contains:	
Diphenhydramine Hydrochloride IP	14.08 mg
Ammonium Chloride IP	0.138 g
Sodium Citrate IP	57.03 mg
Menthol IP	1.14 mg
Ethanol (95 percent) IP	0.2625 ml
Ethanol Content 5%	v/v

Colours: Camoisine; Sunset Yellow FCF, Eythrosine, Caramel IP.

Indications: For Dry and Allergic Cough. Dosage: Not to be used for children under 2 years of age without medical advice. *Children*: 2-5 Years - ½ teaspoon (2.5ml) 6-12 Years- 1 teaspoonful (5ml) Over 12 Years & adults - 2 teaspoonful (10ml) Dosage to be taken every 4 hours. Not to exceed 12 teaspoonful

Presentations: MRP Retailer Stockist
100 ml (Syrup) 49.95 39.96 35.96
(Our company Manufacturing Quantity of 75 Lacs Bottle of BANACOF 100 ml. per month)

BONYCAL

Each film-coated tablet contains:

1.25 g calcium carbonate from an organic source (Oyster S	shell)
Equivalent to Element Calcium	500 mg
Vitamin D3 IP	250 IU

Colour : Approved colour used **Indications**: Bonycal is a calcium supplement, which is widely used during pregnancy & lactation and for managment of osteoporosis. **Dosage:** As directed by the physician

Presentations:	MRP	Retailer	Stockist	
15 tab 500 mg	35.90	28.72	25.85	
15 tab 250 mg	18.80	15.04	13.54	

BONYCAL (Syrup)

Each 5 m . contains:

1.25 g calcium carbonate from an organic source (Oys	ter Shell)
Equivalent to Element Calcium	500 m
Vitamin D3 IP	250 I

Colour : Approved colour usedIndications: Bonycal is a calcium supplement, which is widely used during pregnancy & lactation and for managment of osteoporosis. Dosage: As directed by the physician

Presentations: MRP Retailer Stockist 100 ml. 35.90 31.00 27.90

BRAIN TONER (Syrup)

Each 5ml contains:

Shankhpushpi Ext (Convolvulus pluricularis)	40 mg
Shankhpushpi (Convolvulus pluricularis)	
Jatamansi (Nardostachys jatamansi)	
Kushtha (Saussurea lappa	
Vrishya (Phyllanthus emblica)	
Ashwagandha	50 mg
Brahmi	100 mg
Vacha	20 mg
Jyotishmati	60 mg
Ustukhudus	
Mukta Shukti	50 mg

Colour: Approved colour used **Indications:** Brain Toner is an herbal formulation of several medicinal plants which have been categorized in traditional Indian medicine as Medhyarasayanas and used to regulate behavior, improve memory and minimize normal cognitive deficits associated with old age & children. **Dosage:** as directed by the physician.

Presentations:	MRP	Retailer	Stockist	
100 ml	45.00	36.00	32.40	
200 ml	65.00	52.00	46.80	

BRAIN TONER

Each tablet contains:

Presentations: MRP Retailer Stockist 10 tablets 35.00 28.00 25.20

CETRILIN

Each film coated tablet contains:

Cetirizine Dihydrochloride	10 mg
Excipients	q.s.

Colour: Titanium Dioxide I.P. **Indications:** Cetrilin is indicated in the treatment of perennial and seasonal allergic rhinitis pruritus, allergic asthma, allergic conjunctivitis and urticaria. **Dosage:** As per the physician's advice

Presentations: MRP Retailer Stockist 10 tablets 29.62 23.69 21.80

CETRILIN-A

Each film coated tablet contains:

Cetirizine Dihydrochloride	5 mg
Pseudoephedrine	30 mg
Ambroxol	60 mg

Colour: Approved colour used **Indications:** Cetrilin-A is indicated in the treatment of perennial and seasonal allergic rhinitis pruritus, allergic asthma, allergic conjunctivitis and urticaria. **Dosage:** As per the physician's advice

Presentations: MRP Retailer Stockist 10 tablets 38.50 30.80 27.72

CELICARD

Each Tablet Contains :

Indications: i) hypertension ii) angina pectoris.

 Presentations :
 MRP
 Retailer
 Stockist

 10 Tab.
 93.00
 74.4
 66.96

CALCIUM OSTRONG

Each tablet contains:

Elemental Calcium	250 mg
Vitamin D3	25 I.U.

Colour: Approved colour used

Indications: 1. Calcium Strong tablets are indicated as a basic dietary supplement. 2. As a prophylactic treatment of the relevant vitamin and mineral deficiency states during pregnancy and/or lactation. Calcium with Magnesium is necessary for the development of strong bones and teeth, also prevents muscle cramping, risk of colon cancer, maintain regular heart beat, protect against osteoporosis and helps relax the central nervous system with added zinc.

Dosage: As per the physician's advice

Presentations:MRPRetailerStockist15 Tablets15.7027.7624.98



Help maintain your working memory in the short term





Presentations:

10 Tablets

MRP

58.00

Retailer

46.40

For the Management of Pain & Inlammation

Osteoarthritis, Pain of malignancy, post-operative, trauma, sports injuries, ENT, dental & gynecological disorders.

◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

	• Produ	ict • Compo	ositions • inc	ilications • Dosage •	Contents		
CARDIVAS				CLITHROCI	N		
Each Tablet Contains :				Each film-coated table	t contains :		
Carvedilol			3.125 mg.	Clarithromycin USP			250 mg
Indications: i) hypertens	sion ii) stable a	ingina iii) unst	able angina iv)	Colour: Approved colou	r used		
acute myocarial infarction				Indications : Clithrocin is	s indicated for the	e treatment of m	nild to moderate
Dosage: Hypertension:				infections due to suscepti	•		
wk. 50 mg OD. If required.	-	7		Pharyngitis, tonsillitis. Lov			
Presentations :	MRP	Retailer	Stockist	bronchitis, pneumonia U		in and skin stru	cture infections
10 Tab.	14.50	11.60	10.44	like Folliculitis, Cellulitis, E		a usual dasa is	one tablet (250
CEPOKEM				Dosage : Adults: Childre mg) twice daily for 7 days			
Each film-coated tablet				(500 mg) twice daily for			
Cefpodoxime Proxetil USP			100	less than 12 years: 7.5 t			
equivalent to Cefpodoxime			100 mg	Presentations :	MRP	Retailer	Stockist
Colour: Approved colour		provotil) is in	diastad for the	6 tablets	125.00	100.00	90.00
Indications: Cepokem treatment of patients wi				COCOREX	(Syrup) - 10	10 ml	
susceptible strains of the d				Each 5 ml (teaspoonfu		, o iiii.	
Yellow & Titanium Dioxide				Chlopheniramine Maleate			4ma
Presentations :	MRP	Retailer	Stockist	Codeine Phosphate IP			
10 tablets	175.00	140.00	126.00	Containe Carmoisine and			
CEPTROX				Colour: Approved colou			
Each film-coated tablet	contains:			indicated for the treatme			
Cefpodoxime Proxetil USP		Cefpodozime		allergic or infective cond hay fever, pharyngitis,			
Cefpodozime			200 mg	eosinophilic. Dosage : A			
Colour : Approved colour				Children (Above 6 year			
Presentations:	MRP	Retailer	Stockist	teaspoonful (1.25ml)			
6 tabs.	119.25	95.40	87.76	Presentations :	MRP	Retailer	Stockist
				100 ml.	57.50	46.00	41.4
CADROL				COMBI FAS	т		
Each Tablet Contains :				Each Uncoated tablet	-		
Bisoprolol			_	Ibuprofen I.P.			400 ma.
Indications: i) hypertens Adults: 5 mg OD. Increase				Paracetamol I.P			
Presentations:	MRP	Retailer	Stockist	Dosage : Adults : 1 table			•
3 x 10 Tabs.	42.00	33.60	30.24	Presentations :	MRP	Retailer	Stockist
(Each Strip)		00.00		1X15	11.10	8.88	7.99
CARDICEC				COMBI FAS	TDITIC		
CARDISEC Each Tablet Contains :				Each Uncoated tablet			
Diltiazem			180 ma.	Paracetamol IP			500 ma
Each Tablet Contains :			g.	Phenylephine			•
Diltiazem				Triprolidine			2.5 mg
Indications : i) vasopas				Dosage: As Directed b	y physician		
hypertension iv) atrial f supraventricular tachycard				Presentations :	MRP	Retailer	Stockist
Odx2nd, then 25 mg/day at				1X10	16.10	12.88	11.59
PO 25-50 mg BID.		,	· ottore arriginar	CORLAR - I	Λ.		
Presentations :	MRP	Retailer	Stockist				
10 tablets 180mg	111.70	89.36	80.42	Each Tablet Contains			10
10 tablets 240mg	148.90	119.12	107.20	Propranolol			
CINZOLE				Indications : i) hypertens			
Each Tablet Contains :				iv) post myocardial infa			
Norfloxacin			400 mg.	hypertrophic obstruc			
Tinidazole			600 mg.	pheochromocytoma.			
Indications: i) diarrhoea			cteria or mixed	Dosage: 10-40 mg 3.4			
origin iii) giardiasis. iv) ui		on.		mg OD. Post MI-180-240	-		
Dosage: 1Tablet BID for	o days.			Presentations:	MRP	Retailer	Stockist

10 mg Tablet

40 mg Tablet

11.42

21.77

9.13


17.41

8.22

15.67

Stockist

41.76





Proteclytic

Proteolytic enzyme
 Essential for digestion of complex proteins
 to essible should protein



Product ● Compositions ● Indications ● Dosage ● Contents

DEPRA
Each Film Coated Tablet Contains :
Imipramine hydrochloride25mg
Each Film Coated Tablet Contains :
mipramine hydrochloride50mg
Each Film Coated Tablet Contains :
Imipramine hydrochloride75mg
INDICATIONS: i) depression, all types. ii) nocturnal enuresis iii) narcolepsy iv) bulimia v) anorexia nervosa vi) phobias vii) chronic pain.
Dosage: Adults: intially 75 mg/day in single or divided doses. Gradually
increased to a max. of upto 300 mg/day. Maintain: Minimum 1-3 weeks of
therapy. Children: Noctunal enuresis: <12, yrs - 25 mg/day. 12 yrs - 50

Presentations :	MRP	Retailer	Stockist
10 tabs. 25mg	9.00	7.20	6.48
10 tabs. 50 mg	16.84	13.47	12.12
10 tabs, 75 mg	21.98	17.58	15.82

DEPREXX

(Suicidality and Antidepressant drugs)

mg/day. To be taken 1/2 hrs before bedtime.

Extended-release tablet:

Bupropion hydrochloride 150 mg

Colour: Approved colour used

Indication: DEPREXX is prescribed to help relieve major depression. Symptoms include a severely depressed mood (for 2 weeks or more) and loss of interest or pleasure in usual activities accompanied by sleep and appetite disturbances, agitation or lack of energy, feelings of guilt or worthlessness, decreased sex drive, inability to concentrate, and sometimes, suicidal thoughts or behavior. DEPREXX is thought to work by altering levels of the brain chemicals norepinephrine and dopamine.

Dosage: As directed by the physician.

Presentations :	MRP	Retailer	Stockist
10 tabs.	137.50	110.00	101.20

DEZROL LA (1mg / 2mg / 4mg)

Each tablet contains: (1 mg)	
Tolterodine tratrate	1 mg
Excipient	q.s.
Each tablet contains: (2 mg)	
Tolterodine tratrate	2 mg
Excipient	q.s.
Each tablet contains: (4 mg)	
Tolterodine tratrate	4 mg
Excipient	q.s.
Colour: Approved colour used	

Indication: Always stopping for a bathroom visit? Frequent, strong, sudden urges to go are symptoms of overactive bladder (OAB). The good news is that OAB is a real medical condition that can be treated. Relief starts with DEZROL LA a medicine that helps calm the bladder muscle that causes those frequent, sudden urges. Just one pill works for 24 hours to relieve symptoms all day and all night. It's the brand doctors prescribe most for OAB.*

Dosages & Safety Information: You should not take DEZROL LA if you have certain types of stomach problems, glaucoma, or if you have trouble passing urine. DEZROL LA is generally well tolerated. The most common side effect is dry mouth. Other side effects may include headache, constipation, and abdominal pain.

rioudatio, corresponding and abdornina pain				
Presentations:	MRP	Retailer	Stockist	
1 mg. 10 tabs.	55.25	44.20	40.66	
2 mg. 10 tabs.	80.25	64.20	59.06	
4 mg 10 tabs	150.30	120 24	110.62	

DIAROS

Each film-coated tablet contains:	
Rosiglitazone maleate	2mg
Glimepiride	1mg
Calaum Ammunuad salaum usad	

Colour: Approved colour used

Indication: Rosiglitazone, combined with diet, exercise, weight control and cessation of smoking is used for treating type II diabetes. Rosiglitazone may be used alone or in combination with other types of anti-diabetic drugs such as metformin or sulfonylureas as well as insulin. Since it requires naturally-secreted insulin to be effective, rosiglitazone is not recommended for use in type I diabetes where the amount of insulin is very low or absent.

Dosage: Rosiglitazone may be taken once or twice daily, with or without meals. Daily doses range from 4 to 8 mg either with or without other antidiabetic medications. Studies do not demonstrate additional effects when more than 8mg per day are taken.

Presentations :	MRP	Retailer	Stockist
10 tabs.	51.40	41.12	37.83

DIAROS - M

Each film-coated tablet contains:

Each min coulca tablet containe.	
Rosiglitazone maleate equivalent to	
Rosiglitazone	2 mg
Metformin Hydorchloride IP	500 mg

Colour: Ferric Oxide red and Titanium Dioxide

Indication: Rosiglitazone, combined with diet, exercise, weight control and cessation of smoking is used for treating type II diabetes. Rosiglitazone may be used alone or in combination with other types of anti-diabetic drugs such as metformin or sulfonylureas as well as insulin. Since it requires naturally-secreted insulin to be effective, rosiglitazone is not recommended for use in type I diabetes where the amount of insulin is very low or absent. **Dosage:** Rosiglitazone may be taken once or twice daily, with or without meals. Daily doses range from 4 to 8 mg either with or without other antidiabetic medications. Studies do not demonstrate additional effects when more than 8mg per day are taken.

Presentations :	MRP	Retailer	Stockist
10 tabs.	67.30	53.84	49.53

DOPIN

Lacii tablet contains .	
Dothiepin	5 mg

Colour: Approved colour used

Indications: Depression. Anxiety associated with depression.

Dosage : Adults: Initially 75mg daily in divided dosage or single dose at night. Increasing to 150 mg with caution & under close supervision. *Maintanence:* 150 mg as a single dose at night.

Children: Not recommended.

Presentations :	MRP	Retailer	Stockist
10 tablets	80.00	64.00	57.60

DECTROVIR

Each film-coated tablet contains:	
Lamivudine150	mg
Zidovudine USP300	mg

Colour: Approved colour used

Indications: Dectrovir is indicated for the treatment of HIV infection, as part of combination therapy. **Dosage:** The recommended oral dose of Dectrovir for adults and adolescents (at least 12 years of age) is one tablet (containing 150 mg of lamivudine and 300 mg of zidovudine) twice daily with or without food or as per the physician's advice.

Presentations:	MRP	Retailer	Stockist
10 tablets	205.00	164.00	147.60
60 tablets	1122.00	897.60	807.84
(Contained)			

Clindamycin & Clotrimazole Vaginal Suppositories

GYNASAFE

Trichomoniasis, Candida vulvitis, Vaginal mycoses, Vaginal Candidiasis (Moniliasis), Bacterial Vaginitis, Infective leucorrthoea, mixed infections and non-specific vaginitis.

ONLY FOR VAGINAL INSERTION. NOT FOR ORAL USE.



◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

DECTROVIR - N

Each film-coated tablet contains:	
Lamivudine	150 mg
Zidovudine USP	300 mg
Nevirapine	200 mg

Colour: Approved colour used

Indications: Dectrovir-N is indicated for the treatment of HIV infection, once patients have been stabilized on the maintenance regimen of nevirapine 200 mg bd, and have demonstrated adequate tolerability to nevirapine.

Dosage: Adults: 1 tablet twice daily or as per the physician's advice.

 Presentations:
 MRP
 Retailer
 Stockist

 30 tablets
 675.00
 540.00
 486.00

DIABANERVE

(Soft Gel) Each soft-gel capsule contains:

Mecobalamin	50 mcg
Alpha Lipoic Acid	
Benfo thiamine I.P	1 mg
Pyridoxine Hydrochloric (B6) I.P	1.5mg
Nicotinamide (B3) I.P	50mg
Calcium Pantothenate (B5) I.P	25mg
Folic Acid I.P.	0.75mg
Excipients	q.s.

Colour: Approved colour used

Indications: Diabetic Neuropathies, Peripheral Gout, Mood Neuropathies, Hyperhomocytemia, Megaloblastic anemia, Vit. B12 deficiency Infections, Neurological pain, Sensory disturbances, Rheumatoid Arthritis, Osteoporosis, disorder, Sleep disturbances, Alzheimer's Disease, Multiple sclerosis, Parkinson's disease, Heart rate variability, Fibromyalgia, Bell's palsy, Herpes Zoster, Cancer, HIV & Ageless medicines.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 10 capsules 75.00 60.00 54.00

DITANEX - 250 mg / 400 mg

Each capsule contains : (250 mg)	
Didanosine	250 mg
Each capsule contains : (400 mg)	
Didanosine	400 mg

Indications: Didanosine (di-DAN-oe-seen) (also known as ddl) is used in the treatment of the infection caused by the human immunodeficiency virus (HIV). HIV is the virus responsible for acquired immune deficiency syndrome (AIDS). Didanosine (ddl) will not cure or prevent HIV infection or AIDS; however, it helps keep HIV from reproducing and appears to slow down the destruction of the immune system. This may help delay the development of problems usually related to AIDS or HIV disease. Didanosine will not keep you from spreading HIV to other people. People who receive this medicine may continue to have the problems usually related to AIDS or HIV disease.

Colour: Approved colour used

Dosage: As per the physician's advice.

 Presentations:
 MRP
 Retailer
 Stockist

 30 caps.
 865.00
 692.00
 622.80

 30 caps.
 1380.00
 1104.00
 993.60



✓ Coronary Artery Disease ✓ Hypertension & IHD ✓ High blood pressure NORVATE - 10[™] Amlodipine Besilate 10mg

For High Blood Pressure, Hypertension & Coronwry Artery Disease (CAD)

DR. DENTIST (Gel tube)

Each 5 gm contains:

Sorbitol and/or Glycerine, Silica, SLS, PEG, Gum Binder, Food Colour & Flavour. Colour: Approved colour used

Indications: Anti cavity Fluoride Formula fights bad breath and acids that causes cavities by strengthening teeth enamel leaving your teeth strong. Its unique menthol mouthwash gives a freshness that you can feel in your nose and throat.

Dosage: Brush your teeth at least twice a day. Children under 7 should use a pea size amount and under supervised brushing to minimize swallowing.

 Presentations :
 MRP
 Retailer
 Stockist

 100 gm
 51.65
 41.32
 37.18

DILPRIL

Each Tablet Contains :

Enalapril Maleate	2.5 mg.
Each Tablet Contains :	0.70
Enalapril Maleate	5 mg.
Each Tablet Contains :	
Enalapril Maleate	10 mg.
Indications: i) All grades of essential hypertension ii	i) renovascular

hypertension iii) as an adjunct in the treatment of congestive cardiac failure.

Dosage: Essential and renovascular hypertension: initially 5 mg OD (with dluretic 2.5 mg OD), Maintenance dose 10-20 mg OD or in div doses CHF: start with 2.5 mg OD and build up to 5-20 mg/day in one or two doses.

ockist	
6	
59	
23	
5	9

DIZICUM (Syrup)

(approx. 2 teaspoonful Each 10ml contains):

a - Amylase (Fungal Diastase 1:800 from	
Aspergillus oryzae) I.P	62.5mg
Pepsin I.P.	20mg
Flavoured syrupy base	n s

Indications: Hyper acidity, peptic ulcer, reflux, oesophagitis, flatulent dyspepsia, hiatus hernia, heart burn. **Dosage**: 1-2 teaspoonful to be taken after meal thrice in a day. **Colour**: Caramel I.P.

 Presentations :
 MRP
 Retailer
 Stockist

 200 ml
 45.00
 36.00
 32.40

DIZICUM

Each tablet contains:

Aluminium hydroxide gel dried	300mg
Magnesium aluminium silicate	
Magnesium hydroxide	
Methylpolysiloxane	10mg

Indications: Hyper acidity, peptic ulcer, reflux, oesophagitis, flatulent dyspepsia, hiatus hernia, heart burn. **Dosage**: 1-2 tabs. daily after meal. or As directed by the physician.

Colour: Approved colour used

 Presentations :
 MRP
 Retailer
 Stockist

 10 tabs
 9.70
 7.76
 7.13



Emergency Contraceptive Pills

Emergency Contraception consists of the administration of a hormonal product within 72 hours after a unprotected sexual intercourse to prevent pregnancy

Product ● Compositions ● Indications ● Dosage ● Contents

DEEP I	RELIE	Gel (tube)
--------	-------	-------	-------

Each grow Contain.	
Each gram. Contain:.	
Diclofenac Diethylamine B.P1.16% v	v/w
(Equivalent to Diclofenac Sodium 1% w/w)	
Methyl Salicylate I.P10% v	v/w
Menthol I.P5% w	v/w
Preservative	
Linseed Oil B.P (containing predominantly - Linotenic acid)3% w	v/w
Benzyl Alcohol I.P1% w	v/w
Gel base	

Colour: Approved colour used. Indications: Deep Relief can be used to relieve pain such as muscular aches and pains, period pains, headache, backache, rheumatic pain, dental pain and neuralgia. It can also reduce feverishness and the symptoms of colds and flu. Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 30 gm 42.30 33.84 31.13

With carton

DYTRO-KEM

Each film coated Tablet Contains :

Torsemide10 mg. Indications: i) It is indicate for the treatment of edema associated with associate with congestive heart failure, renal disease, or he patic disease, edema associated with chronic renal failure and in the treatment of hypertension alone or in combination with other antihypertensive agents, Intravenous injection is indicated when a rapid onset of diuresis is desired or when a rapid onset of diuresis is desired or when oral administration is impractical. Dosage: Intravenous: injection administered either slowly as a bolus over a period of 2 minutes or administered as a continuous infusion. Oral: Congestive heart failure: the usual initial doses is 10 mg or 20 mg of once-daily oral or intravenous. of once-daily oral or intravenous.

Presentations: MRP Retailer Stockist 10 tabs. 21.50 15.48 17.20

ELEVEN SEAS

Each soft-gelatin capsule contains:	
Cod Liver Oil	300 mg

Colour: Approved colour used.

Indications: Eleven Seas Cod Liver Oil Capsules - It is a rich natural source of vitamins A and D which help maintain healthy skin, hair, nails, teeth and bones. Dosage: 1 capsule daily or as per the physician's advice.

MRP Retailer Stockist Presentations: 100 cap .PVC Bottle 105.00 84.00 75.60

EMPERA

Each Tablet Contains:

Metoclopramide hydrochloride......5mg

Indications: i) Nausea and vomiting ii) gastritis iii) gastro-oeosphageal reflux iv) heartburn v) hiccup vi) pre/ postoperative nausea, vomiting vii) radiological examination viii) diagnostic procedures in gastroenterology ix) diabetic gastro paresis.

Dosage: Adults: Oral: 10 mg TID. Inj.: 2ml two three times daily, If required. Children: P.O. 0.1 MG/KG/DOSE administered 4 times a day. Syrup: 0.5 - 1 mg/kg body weight Below 1 vrs.Not more that 0.5 mg/kg/ day. Inj.! 0.1 mg/kg/dose (if extrapyramidal symptoms occur administer diphenhydramine as per age and body weight requirement)

MRP Presentations: Retailer Stockist 10 tabs. 5mg 7.15 5.72 5.14

ENDOCARD

each tablet Contains : Nebivolol 5 mg.

Indications:

i) Treatment of essential hypertension with endothelial dysfunction eq with diabetes mellitus or hypercholesterolaemia and in patients with ischaemic heart disease.

Dosage: Adults: 5 mg. once daily preferably at the same time of day Presentations: MRP Retailer Stockist 10 Tablet 52.00 46.80 65.00

ERYTHROZIN - 250 mg / 500 mg

Each tablet contains: (250 mg) Erythromycin......250 mg Each tablet contains : (500 mg)

Erythromycin......500 mg Indications: Acute bacterial pharyngitis, tonsillitis, sinusitis, otitis, mastoiditis, epiglottitis, bronchitis, pneumonia, erysipelas, whooping cough, cellulitis, carbuncle, pyoderma, diphtheria, Legionnaire's disease,

chancroid, urogenital.

Colour: Approved colour used.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 250 mg 10 tablets 22.95 18.36 16.52 500 mg 10 tablets 38.95 31.16 28.00

FAMEXAVIR - 250 mg / 500 mg

Each tablet contains: (250 mg) Famciclovir250 mg Each tablet contains: (500 mg) Famciclovir500 mg

Indications: Herpes Zoster: Famexavir (famciclovir) is indicated for the treatment of acute herpes zoster (shingles), treatment or suppression of recurrent genital herpes in immunocompetent patients, and treatment of recurrent mucocutaneous herpes simplex infections in HIV-infected

Colour: Approved colour used.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 250 mg. 10 tablets 315.00 252.00 226.80 500 mg. 6 tablets 400.10 0.00

FEMIKET

Each Combikit contains:

Each uncoated tablet contains: Fluconazole USP 150 mg One Azithromycin tablet 1 g. Each film-coated tablet contains: Azithromycin Dihydrate USP equivalent to

Two Secnidazole tablet 1 gm Each film-coated tablet contains:

One fluconazole tablet 150 mg

Colour: Titanium Dioxide.

Dosage: As directed by the physician.

Presentations: MRP Retailer Stockist 1 kit 137.80 110.24 101.42

May 2008 (Update-5) TPL PRODUCT INDEX





- Alprazolam is used to treat anxiety disorders and panic attacks.
- Alprazolam is in a class of medications called benzodiazepines.
- It works by decreasing abnormal excitement in the brain.



Product ● Compositions ● Indications ● Dosage ● Contents

FESTIN-N

Each Tablet Contains :

Indications: i) To promote digestion of food in pancreatic exocrine deficit pancreatitis, cystic fibrosis etc.

Dosage: Individualized to the patient eg. 6000 units of amylase, 56000 units of lipase and 3300 units of protease activity with every meal.

Presentations: MRP Retailer Stockist 10 tablets 40.15 32.12 28.90

FLOXIN-OZ

Each tablet contains:

Ofloxacin U.S.P.....200 mg Ornidazole 500 mg

Indications: To treat diarrhea and dysentery of Protozoal, Bacterial &

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 10 tablets 45.25 36.20 32.58

FLOXIN (Syrup)

Each 5 ml. contains:

Ofloxacin BP......100 mg

In a flavoured syrupy base Colour: Sunset Yellow FCF.

Indications: To treat diarrhea and dysentery of Protozoal, Bacterial &

Mixed origin. Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 5 ml. 45.25 36.20 32.58

FANTIZOLE

Each uncoated tablet contains :

Fluconazole I.P.	150 mg
Excipients	q.s.

Colour: Approved colour used.

Indications: Fantizole is used to treat fungal infections, cluding yeast infections of the vagina, mouth, throat, oesophagus (tube leading from the mouth to the stomach) abdomen (areabtween the chest and waist), lungs, blood, and other organs. Fantizole is also used to treat meningitis (infection of the membranes covering the brain and spine) caused by fungus.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 24.88 22.39 1 tablet 31.10 4 tablets 105.00 84.00 75.60

FRUITOMIN (Multivitamin Syrup)

Each 5ml contains:

Protein hydrolysate 20%	0.333 gm
Carbohydrate	
Niacinamid IP	
Iron choline Citrate USP	15.00 gm
Magnesium Chloride IP	3.333 mg
Manganese Chloride USP	0.033 mg
As trace element Zinc Sulphate IP	9
equivalent to Elemental Zinc	0.600 mg
L-Lysine Mono Hydrochloride USP	Ü
Flavoured Syrupy Base	
Colour : Caramel Indications: Protein Concer	

Colour: Caramel Indications: Protein Concentrate with Iron. Vitamins & Minerals Dosage: As per the physician's advice.

Presentations: MRP Stockist Retailer 200 ml 62.50 50.00 45.00

FEMIDIN - 20 mg / 40 mg

Each tablet contains: (20 mg) Famotidine......20 mg Each tablet contains: (40 mg)

Famotidine......40 mg Indications: Duodenal and benign gastric ulcers: 40 mg once at bedtime or 20 mg twice daily, 4-8 weeks. Colour: Approved colour used. Dosage

: As per physician's advice.

Presentations:	MRP	Retailer	Stockist
20mg 10' Pack	1.58	1.26	1.16
40mg 10' Pack	2.85	2.28	2.09

FRUSEM

Each tablet contains:

Colour: Approved colour used. Indications: Mild to moderate

Hypertension Dosage: 40-80 mg once or twice daily. Cardiac, pulmonary, renal, hepatic and cerebral oedema: 20-80 mg as a single dose daily or on alternate days. Children: 1-2 mg/kg/day as single dose.

Presentations: MRP Retailer Stockist 10 tablets 3.95 3.16 2.84

FETRASIL

Each Capsule contains:

Sibutramine Hydrochloride15 mg.

Indications: Ftrasil works by acting on the appetite control center in the brain. Fetrasil along with a reduced-calories diet and exercise, helped patients loose weight and maintain weight loss. Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 10 Capsule 210.50 168.40 151.56

GATIMIN-OZ

Each tablet contains:

Ornidazole......500 mg

Colour: Approved colour used. Indications: Gatimin-OZ is a synthetic broad spectrum 8- methoxyfluoroquinolone antibacterial agent. Gatimin-OZ has in vitro activity against a wide range of gram negative and gram positive organisms. Dosage: Doses of Gatimin-OZ are administered once every 24 hours.

Presentations: MRP Retailer Stockist 10 tablets 45.00 36.00 32.40

GATIMIN

Each tablet contains:

Gatifloxacin400 mg

Colour: Approved colour used. Indications: Gatifloxacin is indicated for the treatment of infections due to susceptible strains of the designated micro-organisms in the conditions listed below: Acute bacterial exacerbation of chronic bronchitis Dosage: The recommended dosage for gatifloxacin tablets is described below. Dosages of Gatimin are administered once every 24 hours.

Presentations: MRP Retailer Stockist 10 tablets 40.20 32.16 28.94

GYNAE-C.V.P.

Composition: (Citrus bioflavonoid compound 150mg. vit. C 75mg. Menadoine 0.66mg. ferrous gluconate 67mg. tribasic Ca. phosphate 144.43) Indications: i) hypertension ii) angina pectoris.

Presentations: Retailer MRP Stockist 10 Cap. 58.30 46.64 41.97

ASCOdry िं एस्कोड्रील ै

Expectorant



100 ml.

BRONCHODILATOR MUCOLYTIC

HITO - EN (Growth Syrup)

Product ● Compositions ● Indications ● Dosage ● Contents

25	• Produ	uct • Compo	ositions • Inc
GYNAMENO	O-PLUS		
Each tablet contains :			
Tranexamine Acid			
Mefenamic Acid			•
Colour: Approved colou painful bleeding. Dosage			
Presentations:	MRP	Retailer	Stockist
10 tablets	74.00	59.20	53.28
GYNASAFE			
Each soft-gel capsule			
Clindamycin Phosphate B	s.P.		
Equivalent to Clindamycin			
Clotrimazole I.P			
Excipients Colour: Approved colou			and the second s
nixed infections and non-			
aginosis & Trichomonas			
should be inserted into the			
pefore retiring to bed. To menstrual period	reatment shoul	d be timed so a	as to avoid the
Presentations :	MRP	Retailer	Stockist
1 Kit	72.00	57.60	51.84
CVNIADTLI	0.75		
GYNAPILL Each film-coated table			
evonorgestrel I.P			0.75 mg
Colour: Titanium Dioxi			
consists of the administ			
after a unprotected sexua			
The first tablet must be ntercourse, and within 73			
The second tablet must b			
he latest after the first o			
Presentations :	MRP	Retailer	Stockist
2 tablets	35.00	28.00	25.20
GYNAPILL	1.5 ma.		
ach film-coated table			
evonorgestrel I.P			1.5 mg
Colour: Titanium Dioxi			
consists of the administration			
after a unprotected sexu			
Dosage: The first table unprotected intercourse,			
ntercourse. The second			
and 24 hours at the lates			
Presentations :	MRP	Retailer	Stockist
1 tablets	55.00	44.00	39.60
G-PILL			
Each film-coated table			
_evonorgestrel I.P			1.5 mg
Colour: Titanium Dioxide			

Indications: Emergency Contraception consists of the administration

of a hormonal product within 72 hours after a unprotected sexual

intercourse to prevent pregnancy. Dosage: The first tablet must be

taken as soon as possible after unprotected intercourse, and within 72

hours (3 days) at the latest after intercourse. The second tablet must be

taken 12 hours at the earliest and 24 hours at the latest after the first

Retailer

44.80

MRP

56.00

Presentations:

1 tablets

Each 5ml contains: Cyproheptadine Hydrochloride IP (anhydrous)......2mg. Flavoured Syrup base......q.s. Colours: Caramel I.P. Dosage: As directed by the physician. Indication: treatment of allergics (Hay Fever) & is also used to stimulate appetied in under weight people. Presentations: MRP Retailer Stockist 200ml 55.00 44.00 38.52 **IBROFEN** Each tablet contains: Ibuprofen IP. 400 mg Colour: Approved colour used Dosage: As directed by the physician. Presentations: MRP Retailer Stockist 10 Tablets 5.97 4.76 4.29 INDIVIR-400 Each capsule contains: Indinavir Sulphate equivalent to Indinavir......400 mg Colour: Approved colour used Indications: Treatment of HIV infection in combination with antiretroviral agents. Dosage: Adults: 800mg orally every 8 hours with water 1 hour before or 2 hours after a meal. Patient should drink atleast 1.5 litres of liquids in 24 hours. Presentations: MRP Retailer Stockist 698.00 558.40 502.56 30 caps. INRAS Each Tablet Contains: Indications: i) hypertension ii) congestive cardlac failure (CCF) iii) acute myocardial infarction. Dosage: 1Tablet BID for 5 days. Presentations: MRP Retailer Stockist 10 Tablets 21.50 17.20 15.48 **ISOTENEX** Each tablet contains: Isoniazid (INH)......300 mg Colour: Approved colour used Indications: Tuberculosis in children. Prophylaxis in children in contact with open cases. Dosage: Adults: 3-5mg/kg body-wt. upto 300mg daily in a single dose. Children: 10-20mg/kg body-wt. daily in single doses. Presentations: MRP Retailer Stockist 10 tablets 4.95 3.96 3.56 **ISOTROMIN** Each capsule contains: Colour: Approved colour used Indications: Systemic treatment of nodulo-cystic and conglobate acne, severe acne, acne which has not

responded to adequate course of systemic antibacterial or acne

associated with psychological problems. Dosage: Adults: Initially 500

mcg/kg daily (in 1-2 divided dosegs) with food, for 4 weeks. If good

response, continue for further 8-12 weeks; if little response increase to

1 mg/kg daily 8-12 weeks. If intolerant, reduce dose to 100-200 mcg/kg

daily. Usually given for 16 weeks, repeat course is not normally required.

Retailer

230.40

Stockist

207.36

MRP

288.00

Stockist

40.32

Children: Not recommended.

Presentations:

10 caps.



Presentations:

10 Tablets

MRP

3.47

Retailer

2.77

Zolpidem is a prescription medication used for the short-term treatment of insomnia, as well as some brain disorders.



Stockist

87.51

LAMOVIR-S	5			LIFE BC-VI			
Each tablet contains :			00	Each capsule contains			10.00
Stavudine Lamivudine				MixedCarotene			
Colour : Approved colo			150 mg	VitaminB6			
Indications: Lamivir-S is		o treatment of l	-IIV infection as	VitaminB12			
part of combination there		e treatment of i	TIV IIIIection as	VitaminD3			200 I
Dosage: 1 tablet twice of		weighing < 60	ka	Nicotinamide			
Presentations:	MRP	Retailer	Stockist	Calcium Pantothenate			
10 tablets	108.00	86.40	77.76	Calcium (as Anhydrous Ca Phosphorus			
60 tablets	611.00	488.80	439.92	Potassium			
LODIVITO				Copper			
LOBIVIR	9- 0008-000-00-00-0			Magnesium			
Each film-coated table			100	Zinc			
Lamivudine			100 mg	Indications : B. Complex	factors Colo	ur : Approved	colour used
Colour : Approved color		reatment of abr	onio Honotitio D	Dosage: As per the phy	sician's advice.		
Indications: Lobivir is in at a lower dose then for			onic Hepatitis B	Presentations :	MRP	Retailer	Stockist
Dosage: The recommen			0 mg once daily	10 caps.	40.00	32.00	28.80
or as per the physician's		DDIVII TIDV IS TO	o mg once daily	LINCOZIN -	250 mg /	500 ma	
Presentations :	MRP	Retailer	Stockist	Each capsule contains		Joo mg	
10 tablets	820.00	656.00	590.40	Lincomycine Hydrochorid			
LECUNODI	N 10	/ 20		equivalent to Lincomycin			250 m
LEFUNODI	_	/ 20 mg		Each capsule contains	(500 mg)		
Each tablet contains : Leflunomide			10 mg	Lincomycine Hydrochlorid			
Each tablet contains :			10 mg	equivalent to Lincomycin b			
Leflunomide			20 ma	Indications : Lincomycin			
Indications : Rheumato			20 mg	infections caused by sus			
Colour : Approved color				and staphylococci. Indic physician's advice.	ations : B. Cor	npiex factors b	osage : As pe
Dosage: As per the ph				Presentations :	MRP	Retailer	Stockist
Presentations:	MRP	Retailer	Stockist	250 mg. 10 caps.	58.50	46.80	42.12
10mg 10 tablets	80.20	64.16	57.74	500 mg. 10 caps.	93.00	74.40	66.96
20mg 10 tablets	154.50	123.60	135.96				
LEVIGRA /	SDEED EN	EDGV		LIPIROL 10	ma / 20 i	ma	
Each film-coated table		LKGI		Each film coated tablet			
Vardenafill			20 mg	Atorvastatin			10 m
Excipients				Each film coated tablet			
Colour : Approved color				Atorvastatin			20 m
Indications : LAVIGRA is		treatment of ere	ctile dysfunction	Indications : Lipirol is a			
in men.				multiple risk factors for he			
Dosage: 20 mg or need				pressure, age, low HDL or			
However, LAVIGRA may				stroke. Lipirol is also use one other risk factor for			
before sexual activity. Ba may be increased to a				smoking or complications		0	
decreased to 10 mg. The			o or 40 mg or	in urine, to reduce the ris			acc and proto.
Presentations :	MRP	Retailer	Stockist	Colour: Approved colour			sician's advice
2 tablets	72.00	57.60	51.84	Presentations:	MRP	Retailer	Stockist
4 tablets	125.00	100.00	90.60	10mg 10 tablets	85.00	68.00	61.20
				20mg 10 tablets	161.50	121.30	111.20
LOMODEX				LIPIROL-AI	м		
Each Tablet Contains				Each tablet contains :	•		
Diphenoxylate HCI	_		25 ma	Atorvastatin			10 m
				Amlodipine			
atropine sulph				Colour: Approved colour			
Furazolidone			_	drug. It is used in patien			
Indications: i) symptom hourly. Children over 6 y			2.5-5 mg 6	such as family history, hi			
diphenoxylate/kg body w				to reduce the risk of he	art attack and	stroke. Dosag	ge: As per th
Presentations:		Detailer	Stockist	physician's advice.			

Stockist

2.49

MRP

118.90

Retailer

95.12

Presentations:

15 tablets







PARACETAMOL CAFFEINE & PHENYLEPHRINE HCL TABLETS



Product ● Compositions ● Indications ● Dosage ● Contents

LOPRESOR

Contains :

Metoprolol100 mg.

Indications: i) hypertension ii) angina pectroriis, iii) acute myocardial infarction iv) migraine prophylaxis v) thyrotoxicosis. **Dosage:** HT Angina, hyperthyroidism - PO 100 mg OD. Max 200 mg BD. i/v Dose For SVT - 5mg intially at 1-2 mg/mins. may be repeated at 5 min. Usually a total dose of 10-15 mg. is adequate.

Presentations: MRP Retailer Stockist 10ml V/ Amp. 72.00 57.60 51.84

LACTAN

Each Tablet Contains:

MARTISPASOL

Presentations: MRP Retailer Stockist 8 Tablets 19.20 15.36 13.82

MALZORIR

Each Tablet Contains :

Indications: i) irritable colon syndrome in its primary form, or associated with organic lesions of GI tract. **Dosage**: 135 mg 3 time daily, preferably 20 minutes before meals. When the desired effect has been obtained the dosage may be reduced gradually. At least for 6 wks.

Presentations: MRP Retailer Stockist 10 Tablets 99.40 79.52 71.56

MEPHENTINE

Composition:

Dosage: 15-60 mg IV drip in 5% dextrose.

Presentations: MRP Retailer Stockist 20 Tablets 32.00 25.60 23.04

MEXOQUINE

Each uncoated tablet contains:

Mefloquine Hydrochloride equivalent to
Mefloquine......250 mg

Colour: Approved colour used. **Indications:** Mexoquine is for use as a second line treatment in chloroquine resistant malaria, severe malaria due to P. falciparum and P. vivax including cerebral malaria. Not to be used as a first line

treatment for malaria. **Dosage**: Mexoquine should be taken with plenty of water and preferably with food. The dosage depends on the immune status and body weight of the patient. *Adults*: 15-25 mg per kg body weight or as per

the physician's advice.

Presentations :MRPRetailerStockist2 tablets75.0060.0054.00

METHERLIN

Each sugar coated tablet contains:

Colour: Titanium dioxide IP Indications: To stop excessive bleeding in females that occurs after childbirth or following an abortion or miscariage

Dosage: 25 mg b.i.d. on day 1 and 25 mg once at night daily.

Presentations: MRP Retailer Stockist 10 tablets 51.00 40.80 36.72

MYCOMUN

Each tablet contains :

Mycophenolate Mofetil500 mg

Colour: Approved colour used.

Indications: Mycophenolate is indicated for the prophylaxis of organ rejection in patients receiving allogeneic renal, cardiac or hepatic transplants. Mycophenolate s ld be used concomitantly with cyclosporine and corticosteroids. **Dosage:** A dose of 1g administered orally twice a day (daily dose of 2g) is recommended for use in renal transplant patients or as per the physician's advice.

 Presentations:
 MRP
 Retailer
 Stockist

 10 tablets
 880.00
 704.00
 633.60

MIFEBORT

Each film coated tablet contains:

Colour: Approved colour used. Indications: Mifebort is indicated for the medical termination of intrauterine pregnancyMhrough 49 days pregnancy. For purposes of this treatment, pregnancy is dated from the first day of the last menstrual period in a presumed 28 day cycle with ovulation occurring at mid-cycle. Any intrauterine device [IUD] should be removed before treatment with Mifebort begins. Patients taking Mifebort must take 400 mg of Misobort two days after taking mifepristone unless a complete abortion has already been confirmed before that time (see Dosage And Administration). Pregnancy termination by surgery is recommended in cases when Mifebort and Misobort fail to cause termination of intrauterine pregnancy. Dosage: Treatment with Mifebort and Misobort for the termination of pregnancy requires three office visits by the patient. Mifebort may be administered only in a clinic, medical office, or hospital, by or under the supervision of a gynecologist, able to assess the gestational age of an embryo and to diagnose ectopic pregnancies. Gynecologist must also be able to provide surgical intervention in cases of incomplete abortion or severe bleeding, if necessary. Mifebort. Unless abortion has occurred and has been confirmed by clinical examination or ultrasonographic scan, the patient takes two 200 mg tablets (400 mg) of Misobort orally.

 Presentations :
 MRP
 Retailer
 Stockist

 1 tablet
 330.00
 264.00
 237.60

MISOBORT - 100 mg / 200 mg

Each uncoated tablet contain: (100 mg)

Colour: Approved colour used.

Indications: Mifebort is indicated for the medical termination of intrauterine pregnancy through 49 days pregnancy. For purposes of this treatment, pregnancy is dated from the first day of the last menstrual period in a presumed 28 day cycle with ovulation occurring at mid-cycle. Any intrauterine device [IUD] should be removed before treatment with

METHYLERGOMETRINE TABLETS I.P.

Metherlim

5HT Adrenergic Agonist

✓ Increases force, frequency & duration of uterine contractions

✓ Stops excessive bleeding



Product ● Compositions ● Indications ● Dosage ● Contents

Mifebort begins. Patients taking Mifebort must take 400 mg of Misobort two days after taking mifepristone unless a complete abortion has already been confirmed before that time (see Dosage And Administration). Pregnancy termination by surgery is recommended in cases when Mifebort and Misobort fail to cause termination of intrauterine pregnancy.

Dosage: The recommended adult oral dose for the treatmen of duodenal, gastric and NSAID induced ulceration is 200 mcg 4 times daily with food and at bedtime for 4-8 weeks. If this dose is not tolerated, a dose of 100 mcg can be used.

Presentations :	MRP	Retailer	Stockist
100 mg. 4 tablets	34.00	27.20	25.02
200 mg. 4 tablets	61.00	48.80	43.92

NORVATE - 5 mg / 10 mg

Each uncoated tablet contains: (5 mg) Amlodipine Besilate B.P.....5mg (Equivalent to Amlodipine) Each uncoated tablet contains: (10 mg) Amlodipine Besilate B.P......10mg (Equivalent to Amlodipine)

Colour: Approved colour used. Indication: Norvate is indicated for high blood pressure and angina. In clinical trial, the most common side effects for NORVATE versus placebo were edema (8.3% vs 2.4%), headache (7.3%vs 7.8%), fatigue (4.5%

vs2.8%), and dizziness (3.2% vs 3.4%).

Dosage: As for physician's advice.

Presentations :	MRP	Retailer	Stockist
5 mg. 10 tablets	28.95	23.16	20.84
10 mg. 10 tablets	45.00	36.00	32.40

NAMOSID

Each tablet contains:	
Nimesulide	100 mg
Colour: Approved colour used.	

Indications: Nimesulide is indicated in the treatment of a variety of painful inflammatory conditions including those associated with osteoarthritis, postoperative trauma, sports injuries, acute musculoskeletal disorders including tendonitis, tenosynovitis, sprains, strains and low back pain, ear, nose and throat disorders, dental surgery, bursitis/tendonitis, thrombophlebitis, pharyngitis and gynaecological disorders.

Dosage: Usual oral dose of Nimesulide in adults is 100 mg twice daily. Retailer Stockist Presentations: MRP

10 tablets 17.60 15 84 22 00

NAMOSID-T

Each Tablet Contains:

Nimesulide	
Tizanidine	
Paracetamol	325mg

Colour: Approved colour used.

Indications: Nimesulide is indicated in the treatment of a variety of painful inflammatory conditions including those associated with osteoarthritis, postoperative trauma, sports injuries, acute musculoskeletal disorders including tendonitis, tenosynovitis, sprains, strains and low back pain, ear, nose and throat disorders, dental surgery, bursitis/ tendonitis, thrombophlebitis, pharyngitis and gynaecological disorders.

Dosage: Usual oral dose of Nimesulide in adults is 100 mg twice daily.

Presentations :	MRP	Retailer	Stockist
10 tablets	28.00	22.40	20.16

NAMOSID - COLD

Each tablet contains:	
Nimesulide	100mg
Caffeine	25mg
Chlorphenamine Maleate	4ma

Colour: Approved colour used. Indications: Body ache, Head ache, Running Nose, Sore Throat. Dosage: Adults: 100 mg twice daily. Children: 5 mg/kg/day in 2-3 divided doses.

Presentations :	MRP	Retailer	Stockist
10 tablets	26.50	21.20	19.08

NAMOSID - D

Each tablet contains:	
Nimesulide	100mg
Diclofenac Sodium	50mg

Colour: Approved colour used.

Indications: Namosid -D is indicated in musculoskeletal disorders, dysmenorrhoea, thrombophlebitis, postoperative pain, dental and ENT inflammation.

Dosage: Adults: 100 mg twice daily. Children: 5 mg/kg/day in 2-3 divided

Presentations	:	MRP	Retailer	Stockist
10 tablets		24.50	19.60	17.64

NAMOSID+Plus

Each uncoated tablet contains:

Nimesulide B.P	100mg
Paracetamol I.P	325mg
Excipients	q.s.

Colour: Approved colour used.

Indications: Painful inflammatory conditions namely teoarthritis, rheumatoid arthritis, postoperative pain, dental pain.

Dosage: 1 tablet twice daily.

Presentations: MRP Retailer Stockist 10 tablets 25.75 20.60 18.54

NEROVIR

Each uncoated tablet contains:

Nelfinavir mesylate equivalent to	
Nelfinavir	250 mg
	_

Colour: Approved colour used.

Indications: Nerovir in combination with other antiretroviral agents is indicated for the treatment of HIV infection.

Dosage: Adults: 1.25g twice daily or 750mg thrice daily. Children: 3-13 yrs. initially 25-30mg/kg thrice daily. Not recommended for children under 3 years of age.

Presentations: Retailer Stockist 100 tabs 2400.00 1920.00 1728.00

NICOTOXIN

Each film coated tablet contains :

Bupropion hydrochloride 150 mg (As extended release tablets)......150 mg

Colour: Approved colour used.

Indications: Nicotoxin is indicated for the treatment of depression. It is also indicated as a smoking cessation treatment. Dosage: Adults: Initially, 150 mg once daily in the morning; titrate after no less than 4 days to 150 mg twice daily if needed. The onset of antidepressant effects takes 1-3 weeks, maximal effect may not be noted for 4 weeks. The lowest dosage that maintains remission is recommended.

Presentations: MRP Retailer Stockist 10 tablets 37.50 110.00 99.00



''मन का हो, तो अच्छा, नहीं हो, तो और अच्छा ''

ANTI-ALLERGIC

ANIT-TUSSIVE

सूखा खासी के लिए

common step in gastric acid secretion. Dosage: As per the physician's

Retailer

32.88

Stockist

30.24

MRP

41.10

FOR DRY COUGH

Product ● Compositions ● Indications ● Dosage ● Contents

NEUROVITA	L FORTE			OSTO-JOI	NTER		
Each film-coated tablet				Each tablet contains:			
Thiamine Mononitrate I.P			10mg	Protein			21 a
Riboflavine I.P			9	Carbohydrates			9
Pyridoxine Hydrochloride I				Fat			•
Cyanocobalamin Triturate i			omg	Vitamin A			
equivalent to Cyanocobalan			15 mca	Vitamin B1			
Nicotinamide I.P				VitaminB2			
Calcium Pantothenate I.P				Vitamin C			9
Colours: Ponceau 4R Lake				Niacin amide			
added. Indications : It ma	v he useful in	the nutritional	management of	Vitamin B6			
patients during prolonged of				Vitamin K			45 mcg
It is also indicated for stres				Folic Acid			166mcg
diuretic therapy, pre and				Biotin			33 mcg
gastrointestinal disorders in				Vitamin B12			1.6 mcg
soluble vitamins, prolong				Vitamin D3			300 IŪ
fractures, severe infection				Vitamin E			
Dosage : One tablet daily				Calcium Pantothenate			
Presentations :	MRP	Retailer	Stockist	Calcium Phosphate			1500 mg
10 tablets	6.09	4.87	4.48	Zinc Oxide			
TO tablets	0.03	4.07	4.40	Manganese Sulphate			
				Magnesium Oxide			
NEOGRA - 5	0 mg / 1	00 ma		Selenium Dioxide Ferric Ammonium Citrate			
Each film-coated tablet				Copper Sup hate			
Sildenafil Citrate			50ma	Lactobacillus			1 v 100
Each film-coated tablet				Energy			
Sildenafil Citrate			100 mg	Colour: Approved colo			
Indications : NEOGRA is in				Presentation :	MRP	Retailer	Stockist
in men.	idioated for the	trodunont or oro	othe dyoranotion	10 tablets	41.60	33.28	29.95
Dosage: 50 mg or neede However, NEOGRA may before sexual activity. Bas may be increased to a m decreased to 25 mg. The m	pe taken anyw ed on effectiv aximum reco	here from 4 ho eness and toler mmended dose	urs to 0.5 hour ation, the dose	PAIN RELI Each film-coated tabl Paracetamol I.P Ibuprofen I.P	let contains:		
Presentations :	MRP	Retailer	Stockist	Caffeine I.P			
50 mg. 1X4 tablets	72.00	57.60	51.84	Excipients			-
100 mg. 1X4 tablets	95.00	76.00	68.40	Colour: Approved col			
OCIP				Headache, Toothache, No conditions. Dosage: 1 age or as directed by the	/luscular ache, pai -2 Tablets 3 t o 4	n, Cold Symptor	ns and Feverish
(Dihydration Powder)				Presentations :	MRP	Retailer	Stockist
Reduced Osmolarity gr				10 tablets	18.00	14.40	12.96
Sodium Chloride						1.11.74	
Anhydrous Glucose				PINETAL 4	100		
Potassium Chloride				Each Tablet Contains			
Trisodium citrate, Dihydrate			2.9 g				100
Colour: Approved colour	used.			Pentoxifylline			0
Dosage: As directed by the	ne physician.			Indications : i) nonha			
Presentations: 12.5 gram	MRP 8.90	Retailer 7.12	Stockist 6.55	insufficiency iii) transier v) trophic leg ulcers and ischaemia. Dosage: 3-	gangrene vi) no	eturnal leg cram	
OSTOPAN				Presentations:	MRP 26.54	Retailer 21.23	Stockist 19.10
	antaine:			TO LUDIOLO	20.04	21.20	10.10
Each uncoated tablet condition Diclofenac				PRILOSID Each Sugar Coated C		ules) contains	s:
Colour: Tartrazine Yellow				Omeprazol			
fever related pains. Dosag	ge: As per the	e physician's ac	lvice.	Colour: Titanium Diox secretion by specific inh	cide IP. Indication	ns : Suppress	es gastric acid
Presentations: 10 tablets	MRP 11.00	Retailer 8.80	Stockist 7.92	secretory surface of the	e gastric parietal	cell. This block	s the final and

advice.

Presentations:

10 caps



PROTEIN

Concentrate with Iron, Vitamins & Minerals



भारत में ९९% लोगों को इसकी जरूरत है


Product ● Compositions ● Indications ● Dosage ● Contents

PANADOL	ACTIFAS			PARACIN (SYRUP)		
Each Tablet Contains :				Each 5 ml contains:			
Each film coated tablet co	ontains :			Paracetamol IP			
Paracetamol IP			500 mg	IbuprofenIP			
Ceffeine IP (as anhydrou	ıs)		25 mg	Flavoured Syrup Base			q.s.
Phenylephrine HCI IP				Colour: Sunset Yellow F			
Colour : Sunset Yellow Fo	CF, Quinoline Ye	llow, Titanium d	ioxide IP	Indications : Combination			
Dosage: For mild to mod severe symptoms - 2 table under 12 years of age Ma	lets 3 to 4 times ximum dose In 2	a day. Not suita	ble for children	they supplement each oth rheumatoid or osteoarthr & dental conditions. Pair	tis. Cervical spor	ndylosis, infectived with inflamm	ve inflammation
overdose may be injuriou				Dosage : As per the ph	"이 아니다 이 보면 없었다. 하는데 있는데 보다 보다 보다 보다.		
Presentations: 2 X 6 Tablets	MRP 19.00	Retailer 15.20	Stockist 13.68	Presentations: 60 ml.	MRP 12.00	Retailer 9.60	Stockist 8.64
PANTOPAN							
Each Tablet Contains :				PARACIN			
Pantoprazole			40 mg.	Each uncoated tablet			
Domperidone				Paracetamol IP			500 mg.
Indications: i) Duodenal			rate and severe	Colour: Approved colou			
reflux oesophagitis iv) Z Dosage : PP 40 mg OD, administration can be stated 2 to 4 weeks period this may have to be exte	before/during brarted. Duodenal of for treatment	eakfast. 40 mg (ulcer & gastric respectively. In	ulce generally some patients	Indications: Combination they supplement each off rheumatoid or osteoarthrial dental conditions. Pair	ner`s action. Non tis. Cervical spoi , fever associate	-articular rheum ndylosis, infectived with inflamm	atic conditions, ve inflammation
Presentations:	MRP	Retailer	Stockist	Dosage : As per the ph			
10 Tablet	55.00	44.00	39.60	Presentations: 6 tab.	MRP 5.00	Retailer 4.00	Stockist 3.68
PRILOSID -		44.00	00.00			4.00	3.00
Each Sugar Coated Ca		ules) contains	s:	PROTHIAD Each Tablet Contains			
Omeprazol				Dothiepin			75 mg
Domperidone			10 mg	INDICATIONS : I) DEPRE			
Colour: Titanium Dioxid				ANXIETY.	1001011 11, 111	LEGGIGITAGG	JOINTED WITH
secretion by specific inhib				Dosage MI: Adults: 75	ma daily in divid	ed	
secretory surface of the				Presentations:	MRP	Retailer	Stockist
common step in gastric a secretions are inhibited irre It suppresses H. Pylori. D	espective of the st	imulus. Peptic ac	tivity is reduced.	10 tablets	59.85	47.88	43.09
Presentations :	MRP	Retailer	Stockist	PROPENAS	т		
10 caps	54.30	43.44	39.96	Each tablet contains:			
				Finasteride			5 mg
PRONOL -	25 mg-2m	l / 10 mg		Excipients			
Each uncoated tablet /				Indications: PROSCAR	is indicated for	the treatment	of symptomatic
Promethazine hydrochl	loride		25mg	benign prostatic hyperpla	isia (BPH) in me	n with an enlar	ged prostate to:
Each uncoated tablet /				-Improve symptoms			
Promethazine hydrochlor				-Reduce the risk of acut			
Colour: Approved colou Nausea 3. Sedation 4.				 Reduce the risk of the no of the prostate (TURP) a 			ethral resection
ingredient 8. Anaesthetic				Colour: Approved colou	r used. Dosage:	As Directed b	y the physician
sickness: 50 mg / day in				Presentations:	MRP	Retailer	Stockist
Nausea: 12.5 - 25 mg / d				10 tablets	135.00	108.00	97.20
Motion sickness: 12.5 - 25 Sedation: 12.5 - 25 mg at		y. 0.25 - 12. 5 m	ig 3 times a day	AN ACCOUNT OF THE STATE OF THE			
Presentations:	MRP	Retailer	Stockist	RACILOC			
25mg. 2 ml	7.90	6.32	5.68	Each Tablet Contains :			
10 tablets	9.59	7.67	6.90	Ranitidine			•
PYROXI-KI	:D			Domperidone bp Indications : i) Gastric			0
Each uncoated tablet	contains:		20 mc	reflux anderosive oesor syndrome (ZES) V) Pre	hagitis iii) Stres	s ulcers. iv) Z	ollinger-Ellison
Piroxicam			0	150-600 mg daily in two			
Indications: Anti-reheun				weeks.			
Dosage: 2 tablets daily or Presentations:	or as per the ph	Retailer	Stockist	Presentations :	MRP	Retailer	Stockist
10 tablets	29.85	23.88	21.49	15 Tablet	8.40	6.72	6.04



Altrol CR is a hormonal therapy that is approved for women who:

- have had estrogen-receptor positive early stage breast cancer and
- have gone through menopause and-
- have taken tamoxifen for 2 to 3 years





Product ● Compositions ● Indications ● Dosage ● Contents

KLEAX D	
Each Tablet Contains :	
Dicyclomine	
Mefenamic acid 500 mg.	
Colours: Ponceau 4R & Carmoisine	
Dosage: Adults: 2 teaspoonful (10ml) 3 or 4 times a day Children: 2 to	

Dosage: Adults: 2 teaspoonful (10ml) 3 or 4 times a day *Children:* 2 to 6 years 1 teaspoonful (5ml), 3 times a day or as directed by the physician **Indication:** Treatment of allergies (Hay Fever) & is also used to stimulate

appitite in underweight people.

RFI AX-D

 Presentations :
 MRP
 Retailer
 Stockist

 200ml
 60.75
 47.85
 42.53

SERAFEN-P

Each tablet contains:

Serratiopeptidase	5 mg.
Paracetamol	
Aceclofenac	

Colour: Approved colour used.

Indications: Rheumatoid arthritis, osteoarthritis, ankylosing spondylitis, cervical spondylitis, intervertabral disc syndrome, sciatica, non-articular rheumatic conditions. Post-operative & traumatic inflammations. Painful inflammatory conditions in gynaecology & dentistry. Acute gout. **Dosage:** As per the physician's advice.

Presentations: MRP Retailer Stockist 10 tablets 42.80 34.24 30.81

SETRO - 4 mg / 8 mg

Each tablet contains: (4 mg	Each	tablet	contains:	(4 mg.
-----------------------------	------	--------	-----------	--------

Ondansetron4 m	ng.

Each tablet contains: (8 mg.)

Ondansetron......8 mg.

Colour: Approved colour used.

Indications: Constipation, sensation of warmth, flushing in the epigastrium. Rare allergic reaction such as rash, anaphylaxis, bronchospasm, breathlessness, angioedema, urticaria, headace,transient blurred vision, transient elevations of transaminase levels.

Dosage: As per the physician's advice.

Presentations :	MRP	Retailer	Stockist
6 tablets: 4mg	24.00	19.20	17.28
6 tablets: 8mg	40.50	32.40	29.16

SETRADOX

Each Tablet Contains:

Sodium tetradecyl sulphate3%

Indications: i) It is used primarily as a sclerosant in the treatment of varicose veins of the leg by compression sclerotherapy. **Dosage:** It is used primarily as a sclerosant in the treatment of varicose veins of the leg by compression scierotherapy.

 Presentations :
 MRP
 Retailer
 Stockist

 3 % /2 x 2ml
 89.00
 71.20
 64.08

SAFETY SEX

Each soft-gel capsule contains:

Clindamycin Phosphate B.

Colour: Approved colour used. **Indications:** Above 18 year's Female Vaginal use, Fungicidal, Bacterial, Trichmonacidal. **Dosage:** As per the physician's advice.

Presentations: MRP Retailer Stockist 3 soft gel capsules 54.00 43.20 38.88

SILPREX - 5 mg / 10 mg

Each uncoated tablet contains: (5 mg.)

Diazepam I.P.....5 mg

Each uncoated tablet contains: (10 mg.)

Diazepam....I.P.......10 mg

Colour: Approved colour used. **Indications:** Diazepam has the typical activity spectrum of benzodiazepines encompassing anxiolysis, muscular relaxation, sleep modifying and anticonvulsant effects. **Dosage:** *Adults:* 2.5-10mg 2-4 times daily depending on symptoms and severity. *Children:* upto 3 yrs: 1-6 mg daily in divided doses. 4-14 yrs: 4-12 mg day in divided doses.

Presentations :	MRP	Retailer	Stockist	
5mg. 10 tablets	11.00	8.8	7.92	
10mg, 10 tablets	21.50	17.20	15.48	

SUHAGAN / PLAYGRA

Each film-coated tablet contains:

Sildenafil Citrate......50 mg

Colour: Approved colour used.

Indications: SUHAGAN is indicated for the treatment of erectile dysfunction in men. **Dosage**: 50 mg or needed approximately 1 hour before sexual activity. However, SUHAGAN may be taken anywhere from 4 hours to 0.5 hour before sexual activity. Based on effectiveness and toleration, the dose may be increased to a maximum recommended dose of 100 mg or decreased to 25 mg. The maximum dose once per day.

Presentations :	MRP	Retailer	Stockist	
4 tablets	72.00	57.60	51.84	
6 tablets	85.00	68.00	61.20	

TENOLOL

Each Tablet Contains :

 Presentations :
 MRP
 Retailer
 Stockist

 10 Tabs.
 6.02
 4.81
 4.33

TRESTO-I.M

Each Unit Contains : Testosterone propionate25mg

Indications: A) Male: i) hypogonadism ii) organic impotence (associated with androgen deficiency iii) eunuchism vi) delayed puberty v) premature senility. B) Female: i) metropathia haemorrhagica ii) menorrhagia iii) sexual frigidity iv) breast carcinoma. Dosage: Male: 25 mg - 50 mg IM every 1-2 weeks. Decrease the dose and frequency as the condition improves. Female: 25-50mg daily until the bleeding stops. If it recurs, 25 mg weekly or fortnightly for 3-4 months. Sexual frigidity: 25 mg every 1-2 weeks for 6-8 weeks. Oral for androgen deficiency: 120-160 mg/day for 2-3 weeks.

Presentations: MRP Retailer Stockist 1ml Amp. 15.00 12.00 10.8

TIAGRA

Each film coated tablet contains:

Colour: Approved colour used.

Indications: TIAGRA is indicated for the treatment of erectile dysfunction in men. Dosage: 20 mg or needed approximately 1 hour before sexual activity. However, TIAGRA may be taken anywhere from 4 hours to 0.5 hour before sexual activity. Based on effectiveness and toleration, the dose may be increased to a maximum recommended dose of 40 mg or decreased to 10 mg. The maximum dose once per day.

Presentations:MRPRetailerStockist1X4X2 Tablets125.00100.0090.00

People who are sleep deprived are often irritable.

Diazepam Tablets IP 5 / 10 mg



Diazepam is used to relieve anxiety, muscle spasms, and seizures and to control agitation caused by alcohol withdrawal.



Product ● Compositions ● Indications ● Dosage ● Contents

TRICLOSAN

Each 5 gm contains:

Triclosan, Silica, Special Flavour.

Colour: Approved colour used

Indications: Twice Brushing with Dr. Dentist, gently removes tough stain, long lasting mint flavour keeps mouth clean & fresh, no harsh

aprasives or bleach.

Dosage: As per the physician's advice or Dentist Doctor's advices.

 Presentations :
 MRP
 Retailer
 Stockist

 100 gm
 52.00
 41.60
 37.44

TRIP-MINI

Each kit contains:

1 cap of Rifampicin	100 mg
1 Tab of Pyrazinamide	300 mg
1 Tab of INH	50 mg

Colour: Approved colour used.

Indications: Rifampicin, Ethambutol, Isoniazid, Pyrazinamide and Streptomycin are used in medication and management of Tuberculosis.

Dosage: Children: 10-15 mg /kg body wt. daily as single dose.

Presentations: MRP Retailer Stockist

Presentations: MRP Retailer Stockist 1kit 7.50 6.00 5.40

TRIP

Each kit contains:

1	cap of	Rifampicin	450 mg
1	Tab of	Ethambutol	800 mg
1	Tab of	INH	150 mg

Colour: Approved colour used.

Indications: Rifampicin, Ethambutol, Isoniazid, Pyrazinamide and Streptomycin are used in medication and management of Tuberculosis.

Dosage: Adults: (below 50 kg): 450 mg daily as a single dose. More than 50 kg: upto 600 mg daily.

than 50 kg , upto 600 mg daily.

Presentations: MRP Retailer Stockist 1 kit 8.75 7.00 6.30

TRIP-MAX

Each kit contains:

1 cap of Rifampicin	450 mg
1 Tab of Ethambutol	
1 Tab of INH	150 mg
2 Tab of Pyrazinamide	750 mg

Colour: Approved colour used.

Indications: Rifampicin, Ethambutol, Isoniazid, Pyrazinamide and Streptomycin are used in medication and management of Tuberculosis.

Dosage : Adults : (below 50 kg) : 450 mg daily as a single dose. More than 50 kg : upto 600 mg daily.

Children: 10-15 mg /kg body wt. daily as single dose.

Presentations: MRP Retailer Stockist 1 kit 14.10 11.28 10.15

TUBERBUTOL - 400

Each tablets contains:

Ethambutol4	00mg
Excipients	q.s.

Colour: Approved colour used. Indications: Tuberculosis.

Dosage: As per the physician's Advice

Presentations: MRP Retailer Stockist 10 tablets 5.70 4.56 4.10

TIFOLIC

Each tablet contains:

Folic Acid	5 mg
Doxylamine Succinate	10 mg
Pyridoxine Hcl	10 mg

Colour: Approved colour used.

Indications: Tifolic is indicated in nausea and vomiting during pregnancy.

Dosage and Administration: 2 tablets at bedtime. If required, 1 additional tablet in the morning and 1tablet in the afternoon.

Presentations: MRP Retailer Stockist 10 tablets 17.50 14.00 12.60

TP-ROX-A

Each tablet contains:

Roxithromycin	150 mg
Ambroxol	60 mg

Colour: Approved colour used.

Indications : UTI, RTI, ENT infections, skin and soft tissue infections, other infections caused by susceptible organisms.

Dosage: Adults: 150-300 mg b.i.d. 30 min before meals for 7 days.

Children: 2.5-5 mg/kg every 12 hours for 7 days.

Presentations: MRP Retailer Stockist 10 tablets 63.50 50.80 45.72

TEFAQUINE - 300 mg

Each tablet contains:

Quinine Sulphate......300 mg

Colour: Approved colour used.

Indications: Chloroquine-resistant falciparum malaria, and as alternative therapy for chloroquine-sensitive strains of P. falciparum, P. malariae, P. ovale and P. vivax.

Dosage: Tablets should be taken with food or after meals. *Adults:* 300 mg (2 tablets) every 8 hours for 3 to 7 days.

Presentations: MRP Retailer Stockist 10 tablets 45.50 36.40 32.76

TOCODER

Each soft-gel capsule contains:

Vitamin E B.P......400 mg

Colour: Approved colour used.

Indication: Vitamin E is a powerful antioxidant that works to protect cells in the body from damage caused by free radicals. Free radicals are highly reactive substances that result from normal metabolism as well as from exposure to factors in the environment like cigarette smoke and ultraviolet light. They cause damage to body cells by attacking the cell's membranes, proteins and DNA and ultimately contribute to the development of health problems such as heart disease and cancer. Vitamin E is especially important in protecting blood cells, the nervous system, skeletal muscle and the retinas in the eyes from free radical damage.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 10 soft caps 22.95 18.36 16.52

'' भगवान अपने आप में रवोजो, सफलता तुम्हारे कदम चुमेगी ''



- Vitamin E is an anti-oxidant that protects body cells from destruction by preventing them from reacting with oxygen.
- It is a natural, non-toxic blood thinner, preventing clots from forming in your blood so you don't get heart attacks or strokes.
- Vitamin E also allows muscle cells to function effectively on small amounts of oxygen. This can boost your energy level,



◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

TROXIM - O (Syrup)

Each 5ml of reconstituted suspension contains:

Cefixime USP as Trihydrate equivalent to

Anhydrous Cefixime.....50 mg

Colour: Approved colour used. **Indications:** Troxim-O is a semi-synthetic third generation oral cephalosporin with a broad spectrum of antibacterial activity against many Gram positive and Gram negative bacteria. **Dosage:** Disperse one tablet in 5ml (one teaspoonful) of boiled and cooled water immediately before use

Presentations: MRP Retailer Stockist
Dry Syrup 58.75 42.30 47.00

TROXIM - DT - 100 mg / 200 mg

Each uncoated dispersible tablet contains: (100 mg)

Cefixime USP as trihydrate equivalent to

Anhydrous Cefixime......100 mg

Each uncoated dispersible tablet contains: (200 mg)

Cefixime USP as trihydrate equivalent to

Anhydrous Cefixime......200 mg

Colour: Approved colour used.

Indications: Respiratory tract infections (including ear, nose and throat infections) Caused by group A beta-haemolytic Streptococci. Skin and skin structure infections Caused by Staphylococci (including coagulase-positive, coagulase-negative and penicillinase producing strains) and Streptococcus pneumoniae. **Dosage:** Disperse one tablet in 5ml (one teaspoonful) of boiled and cooled water immediately before use.

Presentations :	MRP	Retailer	Stockist
100 mg	115.00	92.00	82.80
200 mg	145.00	116.00	104.40

TP-MOX-LB

Each hard gelatin capsule contains:

Amoxycillin Trihydrate I.P	250 mg
(equivalent to Amoxycillin) Cloxacillin Sodium I.P	250 mg
(Equivalent to cloxacillin)	

Lactic Acid Bacillus. 60 millino Spores

Colour: Approved colours used in empty capsule shells.

Indications: Lower respirator tract, skin and soft tissue,

urinary tract and post-operative infections. Osteomyelitis, gynaecological, serious infections like septicaemia, bacterial endocarditis, brain abscess and bacterial meningitis. **Dosage**: Adults: 500 mg-1g of combination thrice daily.

Children: 50-100mg/kg body -wt. daily in 3 divided doses.

Presentations: MRP Retailer Stockist 6 Capsules 36.00 28.80 25.92

TRIAMUNE

Each tablet contains :

Nevirapine	200 mg
Lamivudine	150 mg
Stavudine	. 30 mg

Colour: Approved colour used. **Indications:** Progressive or advanced HIV infection, in combination with atleast 2 other antiretroviral drugs.

Dosage: Adult: 200mg once daily for first 14 days and if no rash appears increase to 200mg twice daily.

Children: 2 months-8 years: 4mg/kg once daily for first 14 days and then if no rash 7mg/kg twice daily (maximum:400mg daily) 8-16 years (below 50kg): 4mg once daily for 1st 14 days and then if no rash, 4mg twice daily (maximum: 400mg daily) Over 50kg: Adult dose.

Presentations:	MRP	Retailer	Stockist
30 tablets	615.50	492.40	443.16
60 tablets	629.50	503.60	453.24

THYRONIM

Each uncoated tablet contains :

Thyroxine Sodium IP

equivalent to anhydrous Thyroxine Sodium IP......100 mcg

(Synthetic Thyroid Hormones)

Colour : Quinoline Yellow WS **Indications:** Hypothyroidism, Cretinism, non-toxic goitre, myxoedema, coma. **Dosage :** As per the physician's advice.

Presentations: MRP Retailer Stockist 100 tablets 95.95 76.76 69.08

ULTERIA

Each tablet contais :

Artesunate50 mg

Indications: Cerebral malaria, Chloroquine resistant malaria, Plasmodium falciparum malaria, Severe malaria. **Dosage:** Adults: Total oral dose of 600mg is recommended which can be divided into two tab. (100mg) bd on the first day followed by 1 tab. (50mg) bd for next four days. Children: Half the adult dose in the above manner.

Presentations: MRP Retailer Stockist 4 tablets 92.80 74.24 66.81

VITALIZER

Each tablet contains:

Vitamin A Acetate	5000 I.U
Vitamin D3	
Vitamin E Acetate	15 I.U
Vitamin B12	10 mcg
Folic Acid	1000 mcg
Vitamin C	150 mg
Ferrous fumarate	
Zinc Sulphate	84.20 mg
Copper Sulphate	8.00 mg
Magnese Sulphate	480mg
Magnesium Sul	
Potassium Iodide	590 mcg
Ashwagandha	50 mg

Colour: Approved colour used. **Indications:** Maximum Performance Formula for keeps your energized round the clock. It helps to increase sperm Count in Male & Female. It generate the fertility. **Dosage:** One tablet every morning

Presentations: MRP Retailer Stockist 30 tablets 161.40 129.12 116.20

ZEVADEX

Each capsule contains:

Zinc sulfate monohydrate USP	41.4 m
(Equivalent to 15mg of elemental zinc)	
Thiamine Mononitrate I.P	10 m
Vitamin B2 I.P	10 m
Nicotinamide I.P	100 m
Vitamin B6 I.P	3.0 m
Vitamin B12 I.P	15.0 mc
Calcium Pantothenatel.P	50 m
Vitamin C I.P	150 m
Folic Acid I.P	500 mc
Biotin USP	100 mc

Colours: Erytarosine, Brillant Blue FCF Tartrazine Sunset Yellow FCF and Titanium Dioxide in empty capsule shells. **Indications:** Zevadex can simplify the process of taking individual B vitamins for a range of ailments including alcoholism, depression, diabetes, hair problems, lupus, multiple sclerosis, and stress. **Dosage:** As per the physician's advice.

 Presentations :
 MRP
 Retailer
 Stockist

 15 caps.
 15.00
 12.00
 10.80

TROXIM-O DRY SYRUP

Cefixime USP as Trihydrate equivalent to Anhydrous Cefixime 50 mg.



Product ● Compositions ● Indications ● Dosage ● Contents

ZEDVIN-T

Each tablet contains :

Zidovudine USP......300 mg

Colour: Approved colour used.

Indications: Zedvin-T as part of combination therapy is indicated for the treatment of HIV infection when antiretroviral therapy is warranted. Maternal-Fetal HIV Transmission: Zedvin-T is also indicated for the prevention of maternal-fetal HIV transmission. The safety of zidovudine for the mother or foetus during the first trimester of pregnancy has not been assessed. **Dosage:** As per the physician's advice.

Presentations: MRP Retailer Stockist 10 tablets 153.00 122.40 110.16

ZITHROMIN - 100 ml / 200 ml (Syrup)

Each 5ml contains: (100 mg)
Azithromycin DihydrateUSP

Each 5ml contains: (200 mg)
Azithromycin DihydrateUSP

Colour: Approved colour used.

Dosage: As per the Physician's advice

Indication: Azithromycin (Brand Name Zithromin) is an antibiotic used to treat certain infections caused by bacteria, such as pneumonia; venereal disease (VD); and ear, lung, skin, and throat infections.

 Presentations :
 MRP
 Retailer
 Stockist

 100 ml.
 28.50
 22.80
 19.95

 200 ml.
 45.00
 36.00
 31.50

Zolep

Each Film Coated Tablet Contains:

ZolpidemTartrate BP 10mg

Indication: Zolpidem is a prescription medication used for the short-term treatment of insomnia, as well as some brain disorders. It is a short-acting nonbenzodiazepine

Dosage: As per the Physician's advice

 Presentations:
 MRP
 Retailer
 Stockist

 1X10
 65.00
 52.00
 46.80

ZITHROMIN - 250mg / 500 mg

Each tablet contains: (250 mg)

Azithromycin.....500mg

Dosage: As per the Physician's advice **Colour:** Approved colour used. **Indication:** Azithromycin (Brand Name Zithromin) is an antibiotic used to treat certain infections caused by bacteria, such as pneumonia; venereal disease (VD); and ear, lung, skin, and throat infections.

Presentations:	MRP	Retailer	Stockist
250 mg. 6Tabs.	49.00	39.20	35.20
500 mg. 3Tabs.	49.00	39.20	35.20

ZENTIC-400

Each tablet contains:

Albendazole......400 mg

Colour: Approved colour used.

Indications: ZENTIC-400 is indicated in the treatment of hookworm (ancyclostoma, necator), roundworm (ascaris), threadworm (strongyloides), whipworm (trichuris), tapeworm (taenia species), opisthorchis, hydatid disease (echinococcus), neurocysticercosis, mixed helminthic infestations. **Dosage**: Adults and children over two years: 1 tablet or 10 ml suspension (400 mg) as a single dose. In strongyloides or H. nana infestations, 1 tablet or 10 ml suspension once daily for 3 days. Children (1-2 years): One half tablet or 5 ml suspension (200 mg) as a single dose. The tablet must be chewed, swallowed or crushed and mixed with food.

Presentations: MRP Retailer Stockist 1 tablet 14.50 11.60 10.44



ALPHEN

Each Injection contians:

Melphalan50 mg

Indications: Breast carcinoma, multiple myeloma, advanced ovarian carcinoma, other neoplasms in combination with surgery. Malignant melanoma, polycythaemia vera. **Dosage**: *Adults*: Multiple myeloma: Usual oral dose 6mg/day. Maintenance dose 2mg/day.

 Presentations:
 MRP
 Retailer
 Stockist

 50mg inj.
 1910.85
 1528.68
 1375.80

ARTEMOTIAL

Each 2ml contains:

Indications: Artemotial is concentrated in parasitized erythrocytes. The functional group responsible for anti-malarial activity of a / ß arteether is endoperoxide bridge. Iron from the digested haemoglobin of the parasite's victim reduces this bridge, releasing a highly reactive free radical iron species which causes lysis of the parasitic cell. **Dosage:** As Directed by physician

Presentations: MRP Retailer Stockist 2 ml. 99.00 79.20 71.28

ATROPINE Ampoule/Injection

Each Ampule Contains :

ATROPINE SULPHATE 6 mg

Each Vial Contains:

ATROPINE SULPHATE30 mg

Indications: Preanesthetic medication to restore cardiac rate and arterial pressure during anesthesia, lessens the degree of atrioventricular (A-V) heart block due to digitalis, to overcome sever bradycardia and syncope, as an antidote (with external cardiac massage) for cardiovascular collapse from the injudicious use of a choline ester (cholinergic) drug, in the treatment of anticholinesterase poisoning from organophosphorus insecticides, and as an antidote for the "repid" type of mushroom poisoning. **Dosage:** The average adult dose is 0.5 mg (5ml of a 0.1mg/ml solution), range 0.4 to 0.6 mg (4 to 6 ml).

Presentations :	MRP	Retailer	Stockist
1x10ml 6 mg.	24.07	19.25	17.33
1x50ml 30mg	51.99	41.59	37.43

Just one capsule a Day ACTIVITAL-Z TO

The dosage of essential nutrients including vitamins $\mathsf{B1}$, $\mathsf{B12}$, and Zinc , minerals and other trace elements cover the daily requirements of an individual.

Activital's balanced combination rejuvenates and strengthens body organs and help maintain good health.

Product ● Compositions ● Indications ● Dosage ● Contents

BEPRIN - Injection

DEI INZIN ZIIJOONION	
Each Injection Contains :	
Heparin25000	i.u.
Each Injection Contains :`	
Heparin5000	i.u.
Indications: i) Deep Venous thrombosis (DVT) and pulmonary. embo	lism
ii) acute MI. iii) rheumatic heart disease iv) atrial fibrilation to pre	vent
embolic complications v) disseminated intravbascular coagulation (DIC)
vi) Cerebrovascular accident. vii) transint ischemic attack (TIA)	
B	

Dosage: Treatment: IV infusion: loading dose 5000-10,000 units, followed by 1000-2000 units/hr or 15,000 units S/C every 12 hrs. Alternatively inj.

Presentations:	MRP	Retailer	Stockist
5 ml Inj. 25000 i.u.	120.80	96.28	86.97
5 ml lnj. 5000 i.u.	34.93	27.94	25.14

Bactram (B-lactam Products)

Each	B-lactam	sterile	dry	powder	injection	contains:	
Cefoto	ovime						

Cefotoxime	1000 mg
Sulbactam	500 mg
Each & lastom storile day newdow injection contains.	

Indications: Used in surgical prophylaxis, meningitis, skin & soft tissue infections like cellulitis, chronic suppurative bacterial otits media, cholecystitis, sexually transmitted disease, Urinary tract infections, infections in dialysis unit.

Dosage: As per the physician's advice.

Presentations :	MRP	Retailer	Stockist
1500mg	85.00	68.00	61.20
750mg	42.00	3360	30.24

CEPOKEM

Each	Injection	contians:
0-4	ball accions	LD

Ceturoxime Sod. I.P	250 mg

Each Injection contians:

Indications: Cefuroxime is used to treat certain infections caused by bacteria, such as bronchitis; gonorrhea; Lyme disease; and infections of the ears, throat, sinuses, urinary tract, and skin. Cefuroxime is in a class of medications called cephalosporin antibiotics. It works by stopping the growth of bacteria. Antibiotics will not work for colds, flu, or other viral infections. **Dosage:** Adults: The usual adult dosage range for Cepokem is 750 mg to 1.5 grams every 8 hours, usually for 5 to 10 days.

Presentation :	MRP	Retailer	Stockist
250 mg	48.00	38.40	34.56
750 mg	110.00	88.00	79.20

CEFOZONE - 1 gm

Each vial contains:

Sulbactum Sodium USP equivalent to Sulbactam0.5 mg

Cefoperazone Sodium USP

equivalent to Cefoperazone

Indications: It is indicated in the treatment of the following infections caused by sensitive bacteria: upper / lower respiratory

tract infections, upper / lower urinary tract infections, cholecystitis, peritonitis, choleic tract infections and other celiac

infections, meningitis, septicaemia, skin and soft tissue infections, pelvic inflammatory disease, bone and joint infections, gonorrhea and other genital system infections. **Dosage:** As per the physician's advice.

 Presentations :
 MRP
 Retailer
 Stockist

 1Vial
 215.00
 172.00
 154.80

★ CLAMOXIN - 300 mg

Each Injection contains:

Indications: Clamoxin is an antibiotic in the class of drugs called penicillins. Amoxicillin and clavulanate potassium fights bacteria in the body. Clamoxin is used to treat many different types of bacterial infections, such as sinusitis, pneumonia, ear infections, bronchitis, urinary tract infections, and infections of the skin.

Dosage: As per the physician's advice.

 Presentations :
 MRP
 Retailer
 Stockist

 300 mg
 49.70
 39.76
 35.78

CLEODIN - 2ml.

Each Injection contains:

Inj. Clindamycin HCI 2 ml Amp......150 mg/ml

Indications: Cleodin is an antibiotic or anti-infective. It treats serious blood, bone, joint, lung, urinary tract, or pelvic infections.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 2ml. 64.00 51.20 46.08

CEPTRADIN

Each Vial Contains:

infections caused by susceptible strains of the designated organisms in the following diseases: **Dosage**: Start with 2.5mg given in the morning, in case of insuffcient effect the daily dose is increase up to 5 days 10 mg. daily, taken once or two parts with meals. Maxmum dosage shoul not exceed 15 mg. per day.

 Presentations :
 MRP
 Retailer
 Stockist

 1gm. Vial
 329.95
 263.96
 237.56

CYCLOZOBID

Each 2ml injection Contains :

Indications: i) GI spasm ii) Biliary spasm iii) Renal colic iv) dysmenorrhoea v) hyperperistalsis vi) peptic ulcer vii) irritable bowel syndrome viii) Functional diarrhoea (as an adjuvant). **Dosage:** Oral: 10-20 mg TID/QID, Usually in combination with analgesics.

In children order that 6 months. 10mg TID.

Presentations: MRP Retailer Stockist 2 ml Inj. 3.54 2.83 2.54

DYTRO-KEM

Each Injection Contains :

Indications: i) It is indicate for the treatment of edema associated with associate with congestive heart failure, renal disease, or he patic disease, edema associated with chronic renal failure and in the treatment of hypertension alone or in combination with other antihypertensive agents, Intravenous injection is indicated when a rapid onset of diuresis is desired or when a rapid onset of diuresis is desired or when oral administration is impractical. **Dosage:** Intravenous: injection administered either slowly as a bolus over a period of 2 minutes or administered as a continuous infusion. Oral: Congestive heart failure: the usual initial doses is 10 mg or 20 mg of once-daily oral or intravenous. of once-daily oral or intravenous.

 Presentations:
 MRP
 Retailer
 Stockist

 100 mg/2ml
 7.90
 6.32
 5.68

Piperacillin and Tazobactum for Injection



4.5 gm/injection For I.V. Use Only.

Life Saving Therapeutic Solution

 Penicillins are used to treat infections caused by bacteria. They work by killing the bacteria or preventing their growth.



◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

DOPACARD

Each Injectiont Contains :

Dopamine hydrochloride......200mg

Indications: i) Cardiogenic and endotoxic shock ii) To improve the renal blood flow iii) Sever CHF iv) septicaemic shock.

Dosage: I/V infusion at a dose of 2.5 mg/kg/min. In serious condition rate can be increase with increments of 5-10 mg/kg/min upto 20-50 mg/kg/min. At doses above 50 mg/kg/min, check urine output.

 Presentations :
 MRP
 Retailer
 Stockist

 200 mg/5ml
 33.00
 26.40
 23.76

DUKINASE

Each Vial Contains:

Urokinase	250000	i.u.
Each Vial Contains :		
Urokinase		i.u.
Each Vial Contains :		
Urokinase	750000	i.u.
Each Vial Contains :		

Urokinase.....1e+006 i.u.

Indications: i) pulmonary embolism ii) acute myocardial infarction in patients in whom earlier streptokinase has been used. iii) deep vein thrombosis iv) lysis of fibrin or blood deposits in the anterior chamber of the eye. USES: This medication is a protein (enzyme) which works to break up and dissolve blood clots which can block arteries. It is used in the treatment of very serious blood clots in lung blood vessels (pulmonary embolism). HOW TO USE: This medication is given by injection by a health care professional. It is important this medication be used as prescribed. It is most effective when administered as soon as possible after symptoms appear (e.g., within 6 hours of onset of chest pain).

WARNING: Internal bleeding may be more difficult to control with this medication than with other anticoagulant therapy. This medication must be used in a hospital setting. It should be started as soon as possible after lung blood clots have been noticed (pulmonary embolism), preferably within 7 days. Urokinase should be given within 6 hours of the first symptoms of a heart attack associated with evolving myocardial infarction. **Dosage MI:** 2.5 lac lu IV over 10 mins. followed by 5 lac IU over next 60 mins. (stop in between if full recanalization occurs).

Presentations:	MRP	Retailer	Stockist
1Vial 25000 i.u.	1,900.00	1,520.00	1,368.00
1Vial 50000 i.u.	3,600.00	2880.00	2,592.00
1Vial 75000 i.u.	4,800.00	3,840.00	3,456.00
1Vial 1e+600 i.u.	6,520.00	5,216.00	5,206.00

DOBISIL

Each injection Contains:

Dobutamine	hydrochloride	250mg
Dobutamine	hydrochloride	50mg

Indications: i) pump failure in Mt ii) cardiac surgery iii) short term management of sever CCF which is refiractory and not responsive to digitalis.

Dosage: Adults: 2.5-10 mg/kg/min. slow IV infusion. it can be titrated upto 40 mg/kg/min as per requirements. (diluted in 5% dextrose)

Presentations:	MRP	Retailer	Stockist
250 mg /20ml	321.95	257.56	231.80
50 mg/4ml	78.00	62.40	56.16

'' किसी भी व्यवसाय में सौ करोड़ का नुकसान क्यूँ न हो गया हो, लेकिन तुम अपने निर्णय पर अडिग रहो, तो नुकसान से कई गुणा ज्यादा कमा सकते हो ''

DURALIN (Anabolic Steroid)

Each Injection contains: (25 - 1ml. Amp.)

Nandrolone Phenylpropionate I.P......25 mg/ml.

Each Injection contains: (50 - 1 ml. Amp.)

Nandrolone Phenylpropionate I.P.....50 mg/ml.

Indications: Deca Duralin has for a long time been the drug of choice for body builders and strength athletes because of its ability to quickly add muscle, decrease body fat levels and relieve joint problems. It is also believed to have fewer undesirable side effects than other anabolic steroids.

Dosage: As per the physician's advice.

Presentations :	MRP	Retailer	Stockist
25 - 1ml. Amp.	55.00	44.00	39.60
50 - 1ml. Amp.	85.00	68.00	61.20

DECA DURALIN (Anabolic Steroid)

Each Injection contains: (25 - 1ml. Amp.)

Nandrolone Decanoate I.P.	25 mg
Ethyl oleate I.P.	q.s.

Each Injection contains: (50 - 1ml. Amp.)

Nandrolone Decanoate I.P.50 mg/ml

Indications: Deca Duralin has for a long time been the drug of choice for bodybuilders and strength athletes because of its ability to quickly add muscle, decrease body fat levels and relieve joint problems. It is also believed to have fewer undesirable side effects than other anabolic steroids. **Dosage:** As per the physician's advice.

Presentations :	MRP	Retailer	Stockist
25 mg Amp.	85.00	68.00	61.20
50 mg Amp.	119.00	95.20	85.68

EMETRON

Each Injection contains:

Ondansetron 2ml Amp......2mg/ml

Indications: Emetron helps to relieve nausea and vomiting, especially when associated with the treatment of cancer (chemotherapy). Ondansetron may also be used to prevent or treat nausea and vomiting that occurs after surgery, and occasionally is used to treat severe vomiting during pregnancy.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 2 ml. 28.25 22.60 20.34

ENBROL

Each 1 ml contains :

Etanercept25 mg

Indications: For reducing signs and symptoms and inhibiting the progress of structural damage in patients with moderately to severely active rheumatoid arthritis. In combination with methotrexate in patients who do not respond to methotrexate alone. To reduce symptoms and signs of moderately to severely active poly-articular-course juvenile rheumatoid arthritis (JRA) in patients who have had an inadequate response to one or more DMARDs.

Dosage : Adults: 25mg given twice weekly as a subcutaneous injection 72-96 hours apart. Methotrexate, glucocorticoids, NSAIDs, or analgesics may be continued during treatment with etanercept. JRA patients: For paediatric patients (4 to 17 years), dose is 0.4mg/kg (up to a maximum of 25mg per dose)

 Presentations :
 MRP
 Retailer
 Stockist

 Vial 1 ml.
 9065.20
 7252.00
 6526.00



- Treatment of intra-abdominal infections
- Treatment of bacterial meningitis in pediatric patients
- Treatment of complicated skin and skin structure infections caused by susceptible organisms

	• Produc	t • Compo	sitions • Ind	ications • Dosage • C	ontents		
FLUXIUM Composition:			3200 I.U.XA	MAXIPAAR Each 0.5 g vial contains: Cefepime Hydrochloride Mo	nohydrate equ	uivalent to Cefer	oime 0.5g.
Indications : i) Deep vein				Excipient : L-arginine	, , , ,		
myocardial infarction. Dosag				Each 1g. vial contains:			
Presentations :	MRP	Retailer	Stockist	Cefepime Hydrochloride Mo	onohydrate equ	uivalent to Cefe	pime 1 g.
0.3ml Inj.	205.00	164.00	147.60	Excipient : L-arginine Indic Dosage : As Director by the	ation : Prever		
LINCOZIN -	1ml. Amp			Presentations:	MRP	Retailer	Stockist
Each 1 ml. Injection conta	ains:			0.5 g inj. 1g. inj.	98.00 198.00	78.40 158.40	70.56 142.56
Lincomycin Hydrochloride I.F				19.111.	130.00	130.40	142.50
equivalent to Lincomycin bas			300 mg/ml.				
Benzyl Alcohol I.P. '85			9 mg.	METHERLIN			
Water for injection I.P			q.s.	Each ml contains:			
Indications: Lincozin HCL is	an antibiotic o	rantiinfective.	It treats serious	Methylergometrine Maleate			
blood, lung, skin, tissue or p	elvic infections	s caused by b	acteria.	Water for injection IP			
Dosage : As per the physic	ian's advice.			Indications : Oral: Pos			
Presentations :	MRP	Retailer	Stockist	menorrhagia, menopausal			
1x5 1ml. Each Amp.	6.70	5.36	4.82	inertia. In association wit			
METHYAMIN			0.0 40 0400464	lochiometra, puerperal blee Presentations:	MRP	Retailer	Stockist
				0.2 mg Vial	17.70	14.16	12.74
Each ml contains: Methylcobalamine Benzyl Alcohol IP (as preservative) Water for injection I.P			2% w/v	MEROKEM Each 1ml contains :			
Overages are added to com-	pensate for lo	ss on storage		Meropenem			1 g
Indications: Evidence indications than cyanocobalamin to increase of vitamin B12.				Each 500ml contains : Meropenem Indications : Intra-abdon			
Dosage : As per the physic	ian's advice.			septicaemia, cystic fibrosis			
Presentations : 500 mcg	MRP 25.25	Retailer 20.02	Stockist 18.18	Intra-abdominal infections; n 500mg-1g hrly depending approx. 15 to 30 minutes or over approximately 3-5min	on the severit as an intravend	ty and type. IV ous bolus injecti	infusion, over on (5 to 20 mL)
MYDROLOL				40mg/kg 8hrly, or as reqd.	Cystic fibrosis		
Each mlContains :				Febrile neutropenia: 1g 8 h	•		
Esmolol hydrochloridE			100mg	Presentations :	MRP 1960.50	Retailer 1568.40	Stockist 1411.56
Indications: i) supraventrica iii) perioperative hypertension required.	ular tachycardia	a ii) perioperat	ive tachycardia	1g. Vial 500 ml.	1020.00	816.00	734.40
Dosage: Loading dose o	f 500 ma/ka/n	nin as infusio	n for 1 minute	NITROFAST			
followed by 50 mg/kg/min inf required, repeat the same lo kg/min as maintenance dose	usion for 4 min ading dose fol	utes as mainte	enance dose. If	Each Injection contains: Nitroglycerin USP			
Presentations:	MRP	Retailer	Stockist	Water for Injection I. P			
100MG/ 10 ml V/Amp.	226.20	180.96	162.86	Indications: Transdermal of angina pectoris due to co transdermal nitroglycerin is useful in aborting an acute	ronary artery of not sufficient	disease. The on ly rapid for this	set of action of product to be
MAGSUL				advice.	allack. DOS	age . As per i	no physician's
Each vial contains:				Presentation :	MRP	Retailer	Stockist
Cfanarazana Cadium aquiva	lant to Cofono		0.5	i resemanon .	INITAL	netallel	Stockist

Cfoperazone Sodium equivalent to Cefoperazone 0.5 gm Sulbactam Sodium USP equivalent to Sulbactam 0.5 gm

Indication: Cefoperazone sodium stops bacteria from making their cell wall, so the bacteria die. Cefoperazone sodium is used to treat infections of the lungs, kidneys, bladder, skin and soft tissues, and infections in the blood

Dosage: As Director by the Physician

Presentations: MRP Retailer Stockist 1 X 1g Inj. 195.00 156.00 140.00

1X5Vial (Each Vial)

82.00

YOU CAN DIRECT PURCHASE

THROUGH

CREDIT CARD / D.D.

65.60

58.50

Asthom Saibutamol Sulphate IP 2 / 4 mg and Theophylline anhydrous IP 100 / 300 mg Reach assumitted.

Salbutamol Sulphate IP 2 / 4 mg and

Breath easy with Asthom and Asthom Forte

Product ● Compositions ● Indications ● Dosage ● Contents

NEUROVITAL FORTE

Each 3ml ampoule contains: Thiamine Hydrochloride IP100 mg Riboflavine Sodium Phosphate IP5 mg Pyridoxine Hydrochoride IP100 mg Cyanocobalamin IP1000 mcg D-Panthenol IP50 mg Water for Injection IPq.s.

Indications: It may be useful in the nutritional management of patients during prolonged convalescence associated with major surgery. It is also indicated for stress conditions, as an adjunct to antibiotics and diuretic therapy, pre and post operative cases, liver conditions, gastrointestinal disorders interferring with intake or absorption of watersoluble vitamins, prolonged or wasting diseases, diabetes, burns, fractures, severe infections, and some psychological disorders.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 5.76 4.42 3.96 3 ml

★ PARACIN

Each ml. Contains:

Paracetamol IP	150mg
Benzyl AlcoholIP	1%
Lignocaine Hcl. IP	1%

Indications: For Relief from Pyrexia of unknown origin or that resulting from Upper / Lower Respiratory tract infection like tonsilitis, bronchitis, Pharyngitis & pneumonia. For prevention of Febrile convulsion. Dosage: Adult & Children:- 2ml. To be injected deep I.M. Every 4-6 hours.

Presentations :	MRP	Retailer	Stockist
10 Vile	75.00	60.00	54.00
1 Voile	7.50	6.00	5.40

PANADOL

Each	ml.	Con	taiı	ıs:
------	-----	-----	------	-----

Paracetamol IP	150mg
Benzyl AlcoholIP	1%
Lignocaine Hcl. IP	1%

Indications: For Relief from Pyrexia of unknown origin or that resulting from Upper/ Lower Respiratory tract infection like tonsilitis, bronchitis, Pharyngitis & pneumonia. For prevention of Febrile convulsion. Dosage: Adult & Children:- 2ml. To be injected deep I.M. Every 4-6 hours.

Presentations:	MRP	Retailer	Stockist
10 Vial	75.00	60.00	54.00
1 Vial	7.50	6.00	5.40

PIPRANEM

Each vial contains:

Piperacillin Sodium USP equivalent to Piperacillin	40
Tazobactam Sodium equivalent to Tazobactam	0.50

Indication: Treatment of moderate to severe infections caused by piperacillin-resistant piperacillin/tazobactam-susceptible, ?-lactamase producing strains of microorganisms in the following conditions: appendicitis (complicated by rupture or abscess); uncomplicated and complicated skin and skin structure infections; postpartum endometritis or pelvic inflammatory disease; community-acquired pneumonia (moderate severity only); nosocomial pneumonia (moderate to severe).

Dosage MI: As Director by the Physician

MRP Presentations: Retailer Stockist 1 Vial 669.00 535.20 481.68

PANTOPAN

Each Injection contains:

Pantoprazole40 mg Indications: Protozole reduces the amount of acid in the stomach and

duodenum. This helps to heal peptic ulcers and helps to prevent them from recurring. It also helps to relieve the symptoms of reflux oesophagitis.

Dosage: As per the physician's advice.

Presentation: Retailer Stockist 1 Vial 44.00 39.60 55.00

REXIPRO

Each Vial 5ml contains :

Abciximab2 mg Abciximab is indicated as an adjunct to percutaneous coronary intervention for the prevention of cardiac ischemic complications

in patients undergoing percutaneous coronary intervention

· in patients with unstable angina not responding to conventional medical therapy when percutaneous coronary intervention is planned within 24 hours Safety and efficacy of Abciximab use in patients not undergoing percutaneous coronary intervention have not been established. Indications: Platelet aggregation inhibition as adjunct to percutaneous transluminal coronary angioplasty or atherectomy (PTCA).

Dosage: 0.25 mg/kg administered 10-60 minutes before the start of PTCA' followed by a continuous I.V.. injection of 10 mcg/min. for 12 hours.

Presentations: MRP Retailer Stockist Vial 5ml 19740.00 14212.80 15792.00

SETRAXONE 1000 mg

Each vial contains:

Sterile Ceftriaxone Sodium U.S.P.

egu. to Anhydrous

Indications: Setraxone is a cephalosporin antibiotic. It treats many kinds of infections, including those of the skin, bone, stomach, brain, blood, respiratory tract, sinuses, ear, and urinary tract. Setraxonee also treats some sexually transmitted diseases. Dosage: As per the physician's advice.

Presentations: MRP Stockist Retailer 1000mg 75.00 57.60 51.84

SU-MEDROL

Each vial contains:

Methylprednisolone Sodium

Indications: Setraxone is a cephalosporin antibiotic. It treats many kinds of infections, including those of the skin, bone, stomach, brain, blood, respiratory tract, sinuses, ear, and urinary tract. Setraxonee also treats some sexually transmitted diseases. Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 1 Vial 997.00 797 60 717 84

SILPREX - 10 mg

Each 2ml contains:

Indications: Diazepam has the typical activity spectrum of benzodiazepines encompassing anxiolysis, muscular relaxation, sleep modifying and anticonvulsant effects.

Dosage: Adults: 2.5-10mg 2-4 times daily depending on symptoms and severity. Children: upto 3 yrs: 1-6 mg daily in divided doses. 4-14 yrs: 4-12 mg day in divided doses.

Presentations: MRP Retailer Stockist 10mg X 2ml Vial (Each Vial) 10.05 8.40 7.56

Methylprednisolone Sodium Succinate for Injection USP

1 ml inj.

24.50

19.60



Methylprednisolone sodium succinate is a potent anti-inflammatory steroid for intravenous or intramuscular use.



12.92

17.95

14.36

100	• Produ	ct • Compo	ositions • Inc	lications ● Dosage ●	Contents		
TERACORT	- 1ml. Vial			TRANEXA			
Each Injection contain Triamcinolone Acetonide Each Injection contains: Triamcinolone Acetonide	e I.P (40 of 1 ml. Vial)		1.7	Each Injection contain Tranexamic Acid 5ml Am Indications: To contro	p ol haemorrhag	e in: Epistaxis,	haemoptysis,
Indications: Teracort crusting, scaling, inflamm It is also used to relieve	is used to treat t mation, and discon	he itching, red nfort of various	ness, dryness, skin conditions.	haematemesis, melena, : As per the physician's Presentations: 5 ml		Retailer 31.40	Stockist 28.26
the physician's advice.			3	31111	03.20	01.40	20.20
Presentations:	MRP 24.95	Retailer 19.96	Stockist 17.96	ULTERIA Each injectiont contais			
40 of 1ml. Vial	50.62	40.49	36.44	Artesunate			50 mg
				Indications: Cerebral ma			
Ketafast				falciparum malaria, Seve advice.			
Each 2ml contains :				Presentations :	MRP	Retailer	Stockist
Ketamine			50 mg	1 vial	169.95	135.96	122.36
Each 10ml contains : Ketamine			50 mg	ZENTROM		1-5-5-5-5-5	
Indications : Anaesthe				Each ml contains. (500) ma)		
indication of anaesthes				Aztreonam			500mg
0.25 mg/kg administered by a continuous I.V inje				Each ml contains. (250) mg)		_
Presentations :	MRP	Retailer	Stockist	Aztreonam Each ml contains. (1 g			250mg
50mg / ml Vial	14.00	11.20	10.08	Aztreonam			1am
10ml Amp	96.30	77.00	69.30	Each ml contains. (2 g)		
TERACOR	T- 5ml			AztreonamIndications: Aztreonam			
treat endocrine disorder gic states, ophthalmic diseases, dermatalogic	diseases, gastroir	ntestinal diseas	ses, respiratory	work for viral infections overuse of any antibiotic Dosage: As Per Physici	can lead to its		
diseases, dermatologic disorders, edematous				Presentations :	MR P	Retailer	Stockist
meningitis, and trichinos				500 mg	275.00	220.00	198.00
Dosage : As per the pl				250mg	142.00	113.60	102.24
Presentations :	MRP	Retailer	Stockist	1gm	455.00	364.00	327.60
6mg inj.	12.45	9.96	8.96	2gm	852.00	681.60	613.44
				ZEVADEX -	B-COMPLE	X INJECTION	ON
TECTEDON	IE (55	-1>		After reconstitution, e	ach ml conta	ins:	
	IE (For Export O	niy.)		Thiamine Hydrochloride I.			90.9 mg
Each 2ml. contains : Testosterone Propionate	LICD		200 ma	Riboflavine Phosphate So			
Oily base				equivalent to Riboflavine			
Indication : Testostero				Pyridoxine Hydrochoride Niacinamide I. P			
based injectable This				D-Panthenol I.P			
that soreness .	710 4004 40 417 1114	locator by many,	lalowing that ii	Choline Chloride			
Dosage : As per the pl	hysician's advice			DL-MethionineB.P			
Presentations:	MRP	Retailer	Stockist	Inositol			
2 ml inj.	70.00	56.00	50.40	Vitamin B12 I.P			
				Benzyl Alcohol I. P. 85			
TESTERON	IE (For Domestic	Market)		(Preservative)			0.000//
Each 2ml. contains :				Chlorocresol I. P			0.09% w/v
Testosterone Propionate				(Preservative) Water for Injection I. P			a s
Oily base				Appropriate overages ad			
Indication: Testostero based injectable This that soreness .	s is used as an ind			Indications: To preven erine induced neurological oral contraceptives. Neu	t and treat isor al disturbances. Iropathies. Sub	Mental symptom acute combined	ns in women on
Dosage : As per the pl		Datallan	Checkist	Dosage : As per the ph			_
Presentations :	MRP	Retailer	Stockist	Presentations :	MRP	Retailer	Stockist

17.64

Benacet COUGH FORMULA

Reduces coughing Relieves sneezing, runny nose Soothes sore throat

Product ● Compositions ● Indications ● Dosage ● Contents



EAR / EYE DROPS



BENOTO	L - 5ml/	10ml (Ear Drop	s)
--------	----------	--------	----------	----

Paradichlorobenzene	2 %
Benzocaine	2.7 %
Chlorbutol	5%
Terpentine Oil	15%

Indications: Benotol is used in the ear to help relieve the pain, swelling, and congestion of some ear infections. It will not cure the infection itself. An antibiotic will be needed to treat the infection. Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 15.82 21.98 17.58

DEFLOXINE - 5 ml. / 10 ml. (Ear & Eye drops)

Ear/Eye Drops 5ml & 10ml

Ofloxacin 0.3% + Dexamethasone......0.1%

Indications: Defloxine is an antibiotic. Defloxine kills certain bacteria or stops their growth. It treats urinary tract, prostate, skin, urinary and respiratory tract infections, as well as certain sexually transmitted diseases. Dosage: As per the physician's advice.

MRP Stockist Presentations: Retailer 16.34 11.76

GENTABET- 5ml (Ear Drops)

Each1ml contains:

Gentamicin I.P	0.3% w/v
Clotrimazole	1% w/v
Betamethasone Depropionate U.S.P	0.025% w/v
Lignocaine HCL	2% w/v
In glycerin I.P & Propylene Glycol I.P	q.s.

Indications: Gentabet can cause severe hearing and kidney problems. Gentabet eliminates bacteria that cause many kinds of infections, including lung, skin, bone, joint, stomach, blood, and urinary tract infections.

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 6.08 5 ml. 7.60 5.47

ISOTINE Eye drops

Composition:

Borrhavea Diffusa	0.300%
Achyranthus Aspera	0.300%
Buta Monosperma	0.300%
Yashed	0.060%
Tuth	0.040%
Tanknamal	2.000%
Fitkari	0.400%
Pepermint	0.015%
Phenyl Mercuric Nitrate(as preservative)	.0.030%

Indications: Its cure all eye diseases.cure cataract,glucoma,myopia and diabetic retinopathy. Recover the vision after any eye operation

Dosage: As per the physician's advice.

Presentations: MRP Retailer Stockist 60.00 54.00 75.00





HERBAL PRODUCTS



ANOMIN POWDER (ANEMIA POWDER)

Each 400 gm. contains:	
Vasa (Adhatoda vasica)	148 gm
Tulsi (Ocimum santum)	20 gm
Jambolan (Eugenia Jambolane)	20 gm
Ginger (Zingiber officibale)	20 gm
Haridra (Curcuma Longal)	22 gm
Bow rasa (Archetto (musica))	15 gm
Halite (Natrium)	70 gm
Sodium bicarbonate (Natron)	85 gm
Mangnesium stearate (Dryer))	q.s.
Indications: useful in all kinds of Anaemic diseases.	-

spoons at a time, 3 times a day or as directed by the Physician.

Presentations: MRP Retailer Stockist 400 gm. 495.00 396.00 356.00

ANTI ARTHRITIS (HERBAL CAPSULE)

Each 500 mg capsule contains

Compositions: Rasana Ext. Shallaki Nirvasa Ext., Shuddha shilajith Ext. Shuddha Guggula Ext., Bala Ext., Nirgundi Ext., Aswagandha Ext., Vishwabhashaja., Ext., Nagakesara Indications: For Anti-Rheumatic Dosage: 1-2 Capsules twice a day or as a physician advice.

Presentations :	MRP	Retailer	Stockist
30's Pack	45.00	36.00	32.40
60's Pack	90.00	72.00	64.80
90's Pack	135.00	108.00	97.20

ANOMIN CAPSULES (ANEMIA CAPSULES)

Each 500 mg. capsule contains:	
Vasa (Adhatoda vasica)	65 mg
Tulsi (Ocimum santum)	25 mg
Jambolan (Eugenia Jambolane)	25 mg
Ginger (Zingiber officibale)	25 mg
Haridra (Curcuma Longal)	25 mg
Bow rasa (Archetto (musica))	25 mg
Halite (Natrium)	
Sodium bicarbonate (Natron)	125 mg
Mangnesium stearate (Dryer))	q.s.

Indications: useful in all kinds of Anaemic diseases.

Dosage: 2 capsules 3 times a day or as directed by the Physician Presentations: MRP Retailer Stockist 90 Caps. 360.00 259.20 288.00

ANOMIN SYRUP (ANOMIN SYRUP)

Each 100 ml. contains:

Vasa (Adhatoda vasica)	22 mg
Tulsi (Ocimum santum)	8 mg
Jambolan (Eugenia Jambolane)	2 mg
Ginger (Zingiber officibale)	
Haridra (Curcuma Longal)	
Bow rasa (Archetto (musica))	
Halite (Natrium)	15 mg
Sodium bicarbonate (Natron)	
Mangnesium stearate (Dryer))	

Indications: useful in all kinds of Anaemic diseases.

Dosage: Children 2-12 yrs.: 1 spoons with water at a time, 3 times a day or as directed by the Physician.

Presentations: MRP Retailer Stockist 100 ml. bottle 145.00 116.00 104.40

Maximum Strength





◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

★ BLUDCOR POWDER (BLOOD POWDER)

Each 400 gm. contains:	
Vasa (Adhatoda vasica)	185 gm
Tulsi (Ocimum santum)	40 gm
Haridra (Curcuma Longal)	25 gm
Bow rasa (Archetto (musica))	25 gm
Halite (Natrium)	75 gm
Sodium bicarbonate (Natron)	
Mangnesium stearate (Dryer))	q.s.
Indications: useful in all kinds of Blood diseases	

Dosage : 1 spoons at all time, 3 times a day or as directed by the Physician.

 Presentations :
 MRP
 Retailer
 Stockist

 400 gm.
 485.55
 388.44
 349.59

BLUDCOR CAPSULES (BLOOD CAPSULES)

Each 500 mg. contains:	-
Vasa (Adhatoda vasica)	125 mg
Tulsi (Ocimum santum)	50 mg
Haridra (Curcuma Longal)	25 mg
Bow rasa (Archetto (musica))	25 mg
Halite (Natrium)	75 mg
Sodium bicarbonate (Natron)	100 mg
Mangnesium stearate (Dryer))	q.s.
Indications: Useful in all kinds of Blood diseases.	

Dosage: 2 capsules at a time, 3 times a day or as directed by Physician

 Presentations :
 MRP
 Retailer
 Stockist

 90 Caps.
 380.00
 304.00
 273.60

BLUDCOR SYRUP (BLOOD SYRUP)

Each 100 ml. contains:

*Aqueous extract derived from:	
Vasa (Adhatoda vasica)	40 mg
Tulsi (Ocimum santum)	8 mg
Haridra (Curcuma Longal)	5 mg
Bow rasa (Archetto (musica))	5 mg
Halite (Natrium)	7 mg
Sodium bicarbonate (Natron)	10 mg
Mangnesium stearate (Dryer))	q.s.
Indications: Useful in all kinds of Blood diseases.	

Dosage: Children 2-12 yrs.: 1 spoons with water at a time, 3 times a

day or as directed by the Physician.

 Presentations :
 MRP
 Retailer
 Stockist

 100 ml.
 128.57
 102.85
 92.57

BREASTONIC

Each 10 gm contains:

Each to gill contains.	
Compositions : Anar ka Chilka	1.00 gm
Gangeran	2.00 gm
Dalchini	800 mg
Fitkari	700 mg
Maju	2.00 mg
Bach Ext.	10.00 mg
Base	q.s.

Indications: Breast tonic for women.

Usage : Take 2-3 drops of Breastonic Oil and apply it gently on dried breast, Massage them from lower to upper side in circular motion for 3-5 minutes in morning or evening. Do not wash it for next 2 hrs. after applications.

 Presentations :
 MRP
 Retailer
 Stockist

 120 ml
 165.00
 132.00
 118.80

CHYAWANPRASH SPECIAL

Compositions: Amla, Aswagandha, Hareetaki, Dashmul, Ghrit and several other herbs. Chyawanprash healthier life begins: Derived from 2500 year old Ayurvedi formula. Totally chemical-free, natural and safe. Powerful combination of herbs and plant extracts in a base of Amla fruit pulp. Refined by Taj to provide traditional goodness with best quality. Reinforces the immune system & helps flight disease. Dosage: 1-2 teaspoonful.

Presentations :	MRP	Retailer	Stockist
250 gms	53.00	42.40	38.16
500 gms	97.00	77.60	69.84
1 kg	169.00	135.20	121.68

GASTRONE

Each capsule contains:

*Aqueous extract derived from:	
Usira (Andropogon muricatus)	50 mg
Mulethi (Glycerriza glabra)	
Shatavari (Asparagus racemosus)	
Kamdudha Ras	
Sutsekhar Ras	
Praval pisti (Processed coaral)	25 mg
Dhatri Lauh	

Indications: Hyperacidity, Gastric and Peptic ulcers, Heartburn, Colicpain, Gastritis, Burning sensation in the stomach **Dosage**: 1-2 capsule 2-3 time a day.

 Presentations :
 MRP
 Retailer
 Stockist

 30 Caps.
 35.00
 28.00
 25.20

HARI TULSI KADHA (Cough Syrup)

Each 5ml contains:

Vasa	400 mg
Haridra	
Kantakari	200 mg
Somavalli	50 mg
Yastimadhu	250 mg
Tulsi	100 mg
Bibhitak	
Virshya	50 mg
Bharangi	100 mg
Trikatu	90 mg
Saubhagya Pushpa	50 mg
Pudina Satva	10 mg
Indications . Heaful in course cold Actions	0

Indications: Useful in cough, cold, Asthma & upper respiratory track infections. Dosage: 5-15 ml. Three times a day.

Presentations: MRP Retailer Stockist 100 ml 38.50 30.80 27.72

HEPATIS POWDER (HEPATITIS POWDER)

Each 400 gm Contains:

Vasa (Adhatoda vasica)	148 gm
Tulsi (Ocimum santum)	
Lavang	
Haridra (Curcuma Longal)	20 gm
Bow rasa (Archetto (musica))	20 gm
Halite (Natrium)	90 gm
Sodium bicarbonate (Natron)	100 gm
Mangnesium stearate (Dryer))	

Indications: Useful in all kinds of Hepatitis virus infections. Dosage: 2 spoons at a time, 3 times a day or as directed by the Physician

 Presentations :
 MRP
 Retailer
 Stockist

 400 gm.
 425.00
 340.00
 306.00

Product ● Compositions ● Indications ● Dosage ● Contents

HEPATIS CAPSULES (HEPATITIS CAPSULES)

Each 500 mg. capsule	contains:		
Vasa (Adhatoda vasica)			165 mg
Tulsi (Ocimum sanctum)			25 mg
Lavang			
Haridra (Curcuma Longa)			25 mg
Bow rasa (Archetto (musi	cal))		25 mg
Halite (Natrium)			25 mg
Sodium bicarbonate (Natr			
Mangnesium stearate (Dry	/er))		q.s.
Indications: Useful in all capsules 3 times a day of			ns. Dosage : 2
Presentations:	MRP	Retailer	Stockist
90 Caps.	165.00	132.00	118.80

HEPATIS SYRUP (HEPATIS SYRUP)

Each 100 ml. contains:	Aqueous extract	derived from :	
Vasa (Adhatoda vasica)			20 mg
Tulsi (Ocimum santum)			5mg
Lavang			
Haridra (Curcuma Longal)		12mg
Bow rasa (Archetto (mus			
Halite (Natrium)			25mg
Sodium bicarbonate (Natr	ron)		6 mg
Mangnesium stearate (D	()ryer))		q.s.
Indications: Useful in a Children 2-12 yrs.: 1 spo			tions. Dosage:
Presentations:	MRP	Retailer	Stockist
100 ml.	105.00	84.00	75.60

HAJMA-G

Compositions : Kalimirich, Zeera, Saunth, Nimbu saar, Pippali, Samudra Lavan, Sarkara, Krishnalvana, Navasadar.

Usage: Can be taken at any times of the day. Chewing slowly improve the taste.

Dosage : Adult & elderly 1-2 tablets, children 1 tablet. Hajma-G tablets taken in large dose can cause irritation in the stomach.

Presentations:	MRP	Retailer	Stockist
100 Tab	15.00	12.00	10.80
120 Tab	19.50	15.60	14.04

HONISIP

Each 5ml contains:

Tulsi	50.0 mg
Mulathi	50.0 mg
Banaphsa	
Kant Kari	50.0 mg
Talispara	
Sunthi	25.0 mg
Pippali	
Vasaka	25.0 mg
Shati	
Pudina satva	25.0 mg
Shudh madhu	
Flavored Syrup	q.s.

Indications: Taj Honisip is a unique blend of time tested herbs and modern pharmaceutical technology bringing out the best of

both. Honisip contains nature's nutritious gift. Honey along with herbs with proven efficacy in cough. Honisip is a safe and effective cough syrup for all kinds of cough such as allergic cough, dry cough and smoker's cough. Honisip also relieves throat irritation. **Dosage:** Children: 1 Teaspoonfull 2-3 times a day;

Adults: 2 Teaspoonful 2-3 times a day, or as directed by the physicians.

 Presentations
 MRP
 Retailer
 Stockist

 100 ml
 39.50
 31.60
 28.44

JONDISO POWDER (JAUNDICE POWDER)

Each 400 gm. contains	: :		
*Aqueous extract derived fr	om:		
Vasa (Adhatoda vasica).			216 gm
Bow rasa (Archetto (mu	sica))		50 gm
Halite (Natrium)			100 gm
Sodium bicarbonate (Nat	ron)		20 gm
Mangnesium stearate (Di			
Indications: Useful in a	all kinds of Jaun	dice infections.	
Dosage: 2 spoon at a tir	ne, 3 times a day	or as directed b	y the Physician
Presentations :	MRP	Retailer	Stockist
400 gm	395.00	316.00	284.40

JONDISO CAPSULES (JAUNDICE CAPSULE)

JOINDISO C	AFSULLS (3	AUNDICE	CAPSULL
Each 500 mg. capsule	contains :		
*Aqueous extract derived for	rom:		
Vasa (Adhatoda vasica).			240 mg
Bow rasa (Archetto (mu	sica))		50 mg
Halite (Natrium)			
Sodium bicarbonate (Nat	tron)		110 mg
Mangnesium stearate (D			
Indications: Useful in	all kinds of Jaun	dice infections.	
Dosage: 2 Capsules 3	times a day or as	s directed by the	e Physician.
Presentations:	MRP	Retailer	Stockist
90 Capsules	180.00	144.00	129.60

JONDISO SYRUP (JAUNDICE SYRUP)

Each 100 mi. contains :	
*Aqueous extract derived from:	
Vasa (Adhatoda vasica)	24mg
Bow rasa (Archetto (musica))	25mg
Halite (Natrium)	10mg
Sodium bicarbonate (Natron)	11mg
Mangnesium stearate (Dryer))	q.s.
Indications: Useful in all kinds of Jaundice infections.	

Dosage : Children 2-12 yrs.: 1 spoon with water at a time, 3 times a day; Adults: 2 spoons with water at a time, 3 times a day, or as directed by the Physician.

 Presentations :
 MRP
 Retailer
 Stockist

 100 ml
 95.88
 76.70
 69.03

JOINT PAIN KILLER

Each capsule contains:

* Aqueous extracts derived from:	
Dashmool Kwath	1gm
Maharasnadi Kwath	1gm
Ashwagandha (Withania Somnifera)	500mg
Ajmodadi Churna	250mg
Chopchini (Smilax China)	
Mahayograj Guggul	100mg
Vatagajankush Ras	
Sameerpannag	Ras
, , ,	Oma

Indications: Arthritis, Rheumatoid Arthritis, Lumbago, Neuralgia, Sciatica, Neuritis, Joint pain and other painful Conditions of the body due to ageing process. It is well suited for both the sexes.

Dosage: 1 capsule, 3 times a day.

Presentations :MRPRetailerStockist30 Capsules75.0060.0054.00

Nitroglycerin Injection USP **Nitrofast** Inj.

Nitroglycerin is used to prevent chest pain (angina). It works by relaxing the blood vessels to the heart, so the blood flow and oxygen supply to the heart



For I. V. Infusion after dilution — \\dagger

◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

Each 5ml contains:	
Vasa	400mg
Haridra	
Kantakari	200mg
Somavalli	50mg
Yastimadhu	250mg
Tulsi	
Bibhitak	50mg
Virshya	50mg
Bharangi	100mg
Fixed Carotene	
Bentothiamine	9
Vitamin B6	1.34mg
Vitamin B12	
Vitamin DO	

KALI TULSI KADHA (DRY COUGH SYRUP)

Dosage: 5-15 ml. three times a day.

400 gm

Presentations: MRP Retailer Stockist 100 ml 39.95 31.96 28.76

LUKOMIN SYRUP (BLOOD CANCER SYRUP)

Each 100 ml. contains :	
Vasa (Adhatoda vasica)	12 mg
Tulsi (Ocimum sanctum)	7 mg
Jambolan (Eugenia jambolana)	
Ginger (Zingiber officinale)	15 mg
Haridra (Curcuma longa)	
Bow rasa (Archetto (musical)	8 mg
Halite (Natrium)	
Sodium bicarbonate (Natron)	27 mg
Magnesium stearate (Dryer)	q.s.
Indications: Useful in all kinds of Blood Cancers.	(61.8)

Dosage : Children 2-12 yrs; 1 spoon with water at a time, 3 times a day. Adults: 2 spoons with water at a time, 3 times a day, or as directed by the physician.

 Presentations :
 MRP
 Retailer
 Stockist

 100 ml.
 175.00
 140.00
 126.00

LIVOVON POWDER (LIVER POWDER)

Each 400 gm. capsule			
Vasa (Adhatoda vasica)			175 gm
Tulsi (Ocimum santum)			50 gm
Bow rasa (Archetto (mus	ica))		25 gm
Halite (Natrium)			85 gm
Sodium bicarbonate (Natro	on)		125 gm
Mangnesium stearate (Dr			
Indications: Useful in a	II kinds of Liver	r diseases.	
Dosage: 2 spoon at a tim	e, 3 times a day	y or as directed b	y the physician
Presentations:	MRP	Retailer	Stockist

525.00

420.00

LIVOVON CAPSULES (LIVER CAPSULE)

Each 500 gm. capsule contains :	
Vasa (Adhatoda vasica)	215 mg
Tulsi (Ocimum santum)	
Bow rasa (Archetto (musica))	25 gm
Halite (Natrium)	
Sodium bicarbonate (Natron)	125 gm
Mangnesium stearate (Dryer))	
Indications . I leaful in all kinds of Liver dises	2000

Indications: Useful in all kinds of Liver diseases.

Dosage: 2 capsules at a time, 3 times a day or as directed by the physician.

 Presentations :
 MRP
 Retailer
 Stockist

 90 Caps.
 280.50
 224.40
 201.96

LIVOVON SYRUP (LIVER SYRUP)

Each 100 ml. contains :	
*Aqueous extract derived from:	
Vasa (Adhatoda vasica)	40 mg
Tulsi (Ocimum santum)	10 mg
Bow rasa (Archetto (musica))	5 mg
Halite (Natrium)	
Sodium bicarbonate (Natron)	12 mg
Mangnesium stearate (Dryer))	

Indications: Useful in all kinds of Liver diseases.

Dosage : Children 2-12 yrs.: 1 spoon with water at a time, 3 times a day; Adults: 2 spoons with water at a time, 3 times a day, or as directed by the Physician

Presentations: MRP Retailer Stockist 100 ml bottles . 107.88 86.30 77.67

LIFECARE ISABGOL

Each Amount Contain

Compositions: Psyllium husk (Bhussi)

Indications: Life care Isabgol-the natural laxative for relief from constipation a diarrhea. With bigger flakes for better absorption and superior actions. Treats Chronic Constipation, Diarrhoea.

Dosage: To Work Three time a day

Presentations :	MRP	Retailer	Stockist
7 gm Sachet	5.00	4.00	3.60
50 gm	35.00	28.00	25.20
100 gm	65.00	52.00	46.80

LIFECARE SHANKHA PUSHPI SYRUP

Compositions: Lifecare Shankhapushpi/Brahmi Traditionally known to enhance children's intelligence.

Indications: Lifecare Shankhpushpi is a natural tonic for Mental development of children. It has been used for centuries in Ayrveda for rejuvenation nervous functions. And Lifecare Shankpushpi brings this natural remedy that completely safe and prepared under the strictest quality guideline.

Dosage : Children 2-12 yrs.: 1 spoon with water at a time, 3 times a day; Adults: 2 spoons with water at a time, 3 times a day, or as directed by the Physician

MRP	Retailer	Stockist
70.00	56.00	50.40
105.00	84.00	75.60
	70.00	70.00 56.00

378.00

ANTI-MALERIA INJECTION

Arachies Oil Injection α - β Arteether 150 mg/2ml.

Product ● Compositions ● Indications ● Dosage ● Contents

★ LIFECARE STRONG

Compositions: Whey Proteins, Fat, Carbohydrates, A, Vitamin B1, B2, B6, B12, Vitamin C, D3, E,K,Biotin, Folic Acid, Iron, Zinc, etc.

Indications: Tonic for immunity.

Dosage: 2 Capsules daily after main meals.

 Presenations :
 MRP
 Retailer
 Stockist

 30 Caps.
 300.00
 240.00
 216.00

LIFECARE SKIN TONER

Each prepared out of:	
Acacia catechu	13 g
Albizzia lebbeck	
Azhadiracta indiace	10 g
Cassia fistula	15 g
Cassia occidentails	13 g
Rubia cordifolia	10g
Sausseria lappa	13g
Circuma longa	
Pongammla pinnatta	12g
Piper nigrum	5g
Psoralia corylifolia	13g
Wrightia tinetora	
Cynodon dactylon	25ml
Brassica juncea	75ml
Indications: Psoriasis, Other Eczemetous	

Dosage : To be applied externally on the affected area as directed By the Physician.

 Presentations:
 MRP
 Retailer
 Stockist

 20 gm
 45.00
 36.00
 32.40

 50 gm
 115.00
 92.00
 82.80

OXYFLAX

Compositions:

Each soft gel capsule contains

Indications : Flax is a known Natural Vegetarian Source of Vitamins, Minerals, Essential Amino acids, Phenolic acids Flavonoids, Alpha & Gamma Tocopherol & Beta Carotene.

Dosage: 1 capsule twice a day with main meals or as directed by the physician

 Presentations :
 MRP
 Retailer
 Stockist

 30 Caps.
 155.00
 124.00
 111.60

PUDINA PACHAK

Compositions: Pudina ka Satva

Indications: Pudina Pachak gives quick relief from stomach, Gas and indigestion. It's a trusted fast action remedy for stomach disorders. Pudina Pachak is completely natural and safe.

Dosage : 1 soft gelatin capsule with a glass of water.

Presentations: MRP Retailer Stockist 10's Pack 11.00 8.80 7.74

PUDINA PACHAK-LIQUID

Compositions: Pudina ka Satva

Indications: Pudina Pachak gives quick rellef from stomache, gas and indigestion. It's a trusted fast action remedy for stomach disorders. Pudina Pachak is completely natural and safe. **Dosage:** 1 soft gelatin capsule with a glass of water.

Presentations :	MRP	Retailer	Stockist
10 ml	10.00	8.00	7.20
30 ml	25.00	20.00	18.00

PUDINA PACHK ACIDOG

Compositions: Blend of mint oils.

Indications: Pudina Pachak-AcidoG for quick relief from gas and acidity. Completely natural, herbal and safe. And reinforced with the extra goodness of mint (Pudina) for instant actions conditions of flatulence.

Dosage: 1 soft gelatin capsule with a glass of water.

Presentations:MRPRetailerStockies5 gms. Sachet7.005.605.04

RENOLIN POWDER (KIDNEY POWDER)

Each 400 gm. contains :	
Vasa (Adhatoda vasica)	148 gm
Haridra (Curcuma longa)	50 gm
Bow rasa (Archetto (musica))	25 gm
Halite (Natrium)	25 gm
Sodium bicarbonate (Natron)	
Mangnesium stearate (Dryer))	q.s.

Indications: Useful in all kinds of Kidney diseases. **Dosage:** 2 at a time, 3 times a day; Adults: 2 spoons with water at a time, 3 times a day, or as directed by the Physician.

Presentations:MRPRetailerStockist400 gm.654.50523.60471.24

RENOLIN CAPSULES (KIDNEY CAPSULE)

Each 500 mg contains: Vasa (Adhatoda vasica).......

Vasa (Adhatoda vasica)	165 gm
Haridra (Curcuma longa)	25 gm
Bow rasa (Archetto (musica))	25 gm
Halite (Natrium)	140 gm
Sodium bicarbonate (Natron)	145 gm
Mangnesium stearate (Dryer))	q.s.

Indications: Useful in all kinds of Kidney diseases.

Dosage: 2 Capsule at a time, 3 times a day or as directed by the Physician.

Presentations:MRPRetailerStockist90 Caps.450.00360.00324.00

RENOLIN SYRUP (KIDNEY SYRUP)

Each 100 ml. contains:

*Aqueous extract derived from:	
Vasa (Adhatoda vasica)	25 gm
Haridra (Curcuma longa)	5 gm
Bow rasa (Archetto (musica))	
Halite (Natrium)	30 gm
Sodium bicarbonate (Natron)	20 gm
Mangnesium stearate (Dryer))	

Indications: Useful in all kinds of Kidney diseases.

Dosage : Children 2-12 yrs.: 1 spoon with water at a time, 3 times a day. Adults: 2 spoons with water at a time, 3 times a day, or as directed by the Physician.

Presentations:MRPRetailerStockist100 ml. bottle158.90127.12114.40

www.hitoforhight.com

हाइटो-ईएन

Product ● Compositions ● Indications ● Dosage ● Contents

*	SP	EED	ENERGY	GOLD

Each capsule contains:	
Hilajeet Purified (Asphalt)	250 mg
Ashwagandha Ext. (Withania somnifera)	150 mg
Rasayan Churna Ext	100 mg
,	

Indications : General debility, Fatigue, General run down Condition, Leg cramps and nervine disorders. It is also Indicated in diabetic neuritis.

Dosage: 1 capsule twice a day with milk.

Presentation :	MRP	Retailer	Stockist
10 Caps	110.00	88.00	79.20
30 Caps	300.00	240.00	216.00

SPEED ENERGY

Each 500 mg, capsule contains:

Lacii 500 ilig. capsule contailis.	
Ashwagandha Ext. (Withania somnifera)	70 mg
Kapikachxhhu Ext. (Mucuna pruriens)	70 mg
Shatavari Ext. (Asparagus racemosus)	
Vidarikanda Ext. (Puraria tuberose)	20 mg
Shwet Musali (Asparagus adscendens)	
Jatiphal (Myristica fragrance)	
Keshar (Crocus sativus)	
Akarakarabh (Anacyclus pyrethrum)	20 mg
Baras Kapok (Cinnamomum camphora)	
Kuchala Purified (Strychnos nuxvomica)	
Shakravallabha Ras (Strychnos nuxvomica)	

Indications: Erectile disorders of male. It is also useful to Promote sexual performance. Some of the ingredients are known to strengthen the body system.

Dosage: 1 capsule twice a day with milk or as directed by the Physician.

Presentations	MRP	Retailer	Stockist
10 C psule	75.00	60.00	54.00

STOMOCO CARE

Each	100	am.	contai	ns:

Isabgol	25%
Senna	
Erand Bhrist	q.s
Haritaki	20%
Nishot	10%
Sonth	10%
Sanchal	5%
Saunf	5%
Amchur	5%

Indications: Ayurvedic Proprietary Medicine Complete relief Constipation as well as Gas. Stomoco Care Double Action is a unique combination of Isbgol with. Trifala and Ajwain, sabgol along with Trifala Gives you complete relief from constipation and Ajwain gives our relief from gas.

Dosage: as directed by the physician.

Presentations:	MRP	Retailer	Stockist
100 gms	35.00	28.00	25.20
200 gms	63.00	50.40	45.36
375 gms	108.00	86.40	77.76

STONE MINE CAPSULES

Each	capsule	cor	ntai	ns	:

*Aqueous extracts derived from:	
Gokshur (Tribulus terrestris)	1 gm
Punarnava (Boerhavia diffusa)	500 mg
Pashanbhed (Saxifraga lingulata)	500 mg
Varun (Crataeva nurvala)	250 mg
Shunthi (Zingiber officinalis)	50mg
Kababchini (Piper cubeba)	125 mg
Shilajeet Shuddh (Pure Bitumen)	30 mg
Hazarul Yahud Pishti	
Shwet Parpati	25 mg

Indication: Urinary Calculus, Dysuria during prostatic Enlargement, and urinary tract infection in cystitis. **Dosage:** 1-2 capsule twice a day.

Presentations :	MRP	Retailer	Stockist
30 Caps.	65.00	52.00	46.80

TAJ HAIR CARE

Compositions: Heena, Mahandi, Brahmi, Awala, Bhringraj, Ritha, Shikakai & others. **Dosage**: Use regularly **Indications**: For Hair Conditioner

Presentations: MRP Retailer Stockist

Twin Pack 5.00 4.00 3.60

TAJ HAIR CONDITIONER

Compositions: Heena, Mehandi, Brahmi, Awala, Bhringraj, Ritha, Shikakai and others. Indications: Hair Tonic (M/F)

Presenations :	MRP	Retailer	Stockist
50 gm	50.00	40.00	36.00
200 gm	175.00	140.00	126.00

TAJ GLUCOSE-D

Compositions:

Nutritional Value (Approx.) per service	100 g
Dextrose Monohydrate mn	
Calcium	
Phosphate	100 mg
Vitamin D	
Energy Value	360 kcal

Indications: Get a jump start on your day by filling up with the Extra energy of Taj Glucose-D. It's ready source of energy to Fight tiredness and refresh you instantly. **Dosage**: Add heaped teaspoonful (35 g.) of Glucose D to a glass of water (200 ml.)

Presentations :	MRP	Retailer	Stockist
100 gm	16.00	12.80	11.52
200 gm	31.00	24.80	22.32
500 am	77.00	61.60	55.44

TAJ GLUCOSE-C

Nutritional Value (Approx.) per service	100 g
Dextrose Monohydrate mn	99 g
Calcium	
Phosphate	100 mg
Vitamin C	
Energy Value	360 kcal.

Indications: Extra refined, high grade Glucose-C is enriched with the goodness of vitamins C and Calcium for extra quick replenishment of essential Vitamin C and Calcium for extra quick replenishment of essential Vitamins, minerals and body salt. **Dosage**: Add heaped teaspoonful (35 g.) of Glucose C to a Glass of water (200 ml.)

Presentations :	MRP	Retailer	Stockist
100 gm	19.75	15.80	14.22
200 gm	32.00	25.60	23.04
500 gm	87.50	70.00	63.00

May 2008 (Update-5)

Paracetamol, Phenylephine & Triprolidine Tablets

Combifast[™]Plus

The pain-killer cum anti-inflammatory



Product ● Compositions ● Indications ● Dosage ● Contents

★ TAJ HONEY

Indications: The purest golden honey collected from freshly Harvested beehives. With the finest flavour. Texture and aroma. Right down to the last drop. Absolutely pure. Natural and with no health and good tasted to your food table. Dosage: Add heaped teaspoonful Taj honey to a Glass of water

Presentations	MRP	Retailer	Stockist
Bottle :			
50 gm	18.00	14.40	12.96
100 gm	30.00	24.00	21.60
250 gm	67.00	53.60	48.24
500 gm	105.00	84.00	75.60
1kg	190.00	152.00	136.80

TAJ SHAKTIMAN

Nutritiomal Value (Approx.) per service	100 g
Dextrose Monohydrate mn	99 g
Calcium	170 mg
Phosphate	100 mg
Vitamin D	300 I.U.
Energy Value	360 kcal

Indications: Extra refined, high grade Glucose-D is enriched with the Goodness of Vitamin D and Calcium for extra quick replenishment of essential Vitamins, minerals and body salt. Dosage: Add heaped teaspoonful (35 g.) of Glucose D to a glass of water (200 ml.).

Presentations:	MRP	Retailer	Stockist
200 gm	45.00	36.00	32.40
500 gm	105.57	84.45	76.00

THYRIN POWDER (THYROID POWDER)

Each 400 gm. contains	3:		
Vasa (Adhatoda vasica)			148 gm
Tulsi (Ocimum sanctum).			67 gm
Jambolan (Eugenia jamb	olana)		45 gm
Bow rasa (Archetto (mus	sical)		45 gm
Halite (Natrium)			67 gm
Sodium bicarbonate (Nat	ron)		76 gm
Magnesium stearate (Dr.	yer)		q.s.
Indications: Useful in	all kinds of Thyro	oid diseases	
Dosage: 2 spoons at tin	ne, 3 times a day	or as directed by	y the physician.
Presentations :	MRP	Retailer	Stockist
100 ml.	345.00	276.00	248.40

THYRIN CA	PSULES (T	HYROID C	APSULES)
Each 500 mg. contains	:		
Vasa (Adhatoda vasica)			165 mg
Tulsi (Ocimum sanctum)			75 mg
Jambolan (Eugenia jambo	lana)		50 mg
Bow rasa (Archetto (musi			
Halite (Natrium)			75 mg
Sodium bicarbonate (Natr			
Magnesium stearate (Dry	er)		q.s.
Indications: Useful in al	kinds of Thyroi	d diseases. Dos	age: 2 capsules
3 times a day or as directed	by the physician.		
Presentations:	MRP	Retailer	Stockist
90 Caps.	180.00	144.00	129.60

THYRIN SYRUP (THYROID SYRUP)

Each 100 ml contains	:		
Vasa (Adhatoda vasica).			16 mg
Tulsi (Ocimum sanctum)			75 mg
Jambolan (Eugenia jamb	oolana)		50 mg
Bow rasa (Archetto (mu			
Halite (Natrium)			
Sodium bicarbonate (Na	tron)		85 mg
Magnesium stearate (Dr	yer)		q.s.
Indications: Useful in	all kinds of Thyro	oid diseases.	
Dosage: 2 Spoons, 3 t	imes a day or as	directed by the	physician.
Presentations:	MRP	Retailer	Stockist
100 ml	138.58	110.86	99.77

VAIDICS COUGH GOLI

Compositions: Herbal Cough Lozenges Indications: For Cough &

Cold. Dosage: One goli at a time & three times in a day

Presentations: MRP Retailer Stockist 100 tablets Package 73.50 58.80 52.92

O.T.C. PRODUCTS

BOROZEN PLUS

Compositions: Niacinamide (Vitamin B3), Titanium Dioxide, Hydrolyzed milk protein. Indications: Fair & beautiful fairness cream with UVA/B Protection. Fair & beautiful enhances sun protection with sun screening agents.

Dosage: Massage into your skin with gentle upward strokes. For best results apply twice a day.

Presentations :	MRP	Retailer	Stockist
19 gm	15.00	12.00	10.80

CHYAWANPRASH (SUGAR FREE)

Compositions: Bael Chal, Ami, Arloo, Gambhari, Patia, Pipli, Sthalparni, Prishanparni, Choti Kateri, Jeewanti, Agar, Giloya, Muneka, Bala Pachang, Adusamool, Pushkarmool, Masparni, Mugdhparni, Gokhru, Vidarikand, Harad, Kakra Singhi, Kamalgate, Barahi Kand, Kachur, Kakoli, Shirkakoli, Maida, Mahmaida, Jeevak, Rishbhak, Shridhi, Vridhi, Punernavamool, Nagarmotha, Bhoomi Amla, Kaknasa, Choti, Elaichi, Safed Chandan, Ashwangandha, Nagkesar, Tej Pat, Dal Chini, Bansh Lotion, Chini, Amla Pithi, Ghee. Usage: Chayawanprash has a tangy sweet-sour taste and the consistency of jam. It can be taken directly or in milk and as bread spread. In all cases it's therapeutic properties have proven to remain stable and active. Dosage: 1-2 teaspoonful.

Presentations:	MRP	Retailer	Stockist
250 gm	10.00	88.00	79.20
500 gm	190.00	152.00	136.80
1 kg	350.00	280.00	252.00

DEEP RELIEF

Compositions:

Peppermint ka Phool	15%
Wintergreen Oil	10%
Nilgiri Tel	10%
Base	

Indications: Provides quick relief from headache, colds sprain and muscular pain.

Dosage: Use for 3-4 times in a day.

Presentations:	MRP	Retailer	Stockist
40 am	34.00	27.20	24.48



"Your easy access to Macrolide power"

250mg / 500 mg

IN

- H. Pylori infection,
- Soft Tissue Infections.
- Dental Infections,
- URTI/LRTI



Product ● Compositions ● Indications ● Dosage ● Contents

☆ Dr. DENTIST MOUTH WASH

Composition:

Chlorhexidine Gluconate 0.2% w/v

Dosage: Remove cap and squeeze until the 10 ml dispenser filled

Indication: This is indicated for irritating & bad smell.

Presentations: MRP Retailer Stockist 250ml 70.00 56.00 50.00

IOMAX

Com	posit	ions:
00111	20311	

Peppermint ka Phool	15%
Wintergreen Oil	10%
Nilgiri Tel	10%
Base	. q.s.

Indications: Provides quick relief from headache, colds sprain and muscular pain.

musculai pam

Dosage: use 2 or 3 times at the time of pan

 Presentations:
 MRP
 Retailer
 Stockist

 10 gm
 27.50
 22.00
 19.80

KRANK CREAM

Compositions: Clotrimazole, Menthol, Zinc Oxide, Creambase, Indications: For Cracks. Dosage: use regularly till 3o days

 Presentations :
 MRP
 Retailer
 Stockist

 25 gm
 29.00
 23.20
 20.88

LIFECARE DRY FRUIT POWDER

Compositions: Bail Powder Indications: For heart tonic.

Dosage: As offered as neede

 Presentations :
 MRP
 Retailer
 Stockist

 200 gm
 30.00
 24.00
 21.60

 500 gm
 60.00
 48.00
 43.20

LOOK'S BODY LOTION

Composition: Jasat Basma, Tankan Amla, Milk Cream, Surasar (Alcohol base), Aloe Vera and Vaseline. **Indications:** For cures skin infections.

Dosage: Used regularly for protection the body.

 Presentations :
 MRP
 Retailer
 Stockist

 300 ml
 70.00
 56.00
 50.40

LOOK'S FAIRNESS CREAM

Compositions: Aqua, Benyan, Barberry, Cetyl Alcohol, Curculigo, Carbopol 940, Glycorine, Perfume, Turmeric, Vetiver.

Indications: Adds glow to the skin, maintain oil balance. **Dosage:** Used regularly.

 Presentations:
 MRP
 Retailer
 Stockist

 25 gm
 25.50
 20.40
 18.36

 50 gm
 48.00
 38.40
 34.56

LOOK'S SCRUB

Compositions: Cream + Accelerator + Glycerine with Aloe Vera
Indications: Acts as an Antiseptic. Dosage: Use two time at a week.

Presentations: MRP Retailer Stockist
100 gm 75.00 60.00 54.00

LOOK'S MASSAGER

Compositions: Acacia Catechu, Albizzia Labbeck Piper Nigrum. **Indications:** For improve blood presure. **Dosage:** Use two time at a week.

 Presentations :
 MRP
 Retailer
 Stockist

 100 ml
 67.00
 53.60
 48.24

LOOK'S HAIR FORMULA PACK

Compositions: Heena, Mehandi, Brahmi, Awala, Bhringraj, Ritha, Shikakai, Nagarmotha, Jaswand, Anar, Ratanjyot, Nim, Lemon, Methi, Katta, Orange, Shitafal, Sarso, Coffee, Nilgiri, Black Til, Erand, Kapoor. Indications: White Hairs, Dandruffs, Insomania, All types of Hair Problems Use:-a) For black hairs, mix this pack with fresh butter milk & lever it for 24 hrs. then apply on hairs.

b) For other problems mix with fresh butter milk & rest it if or 6 to 8 hrs. Then apply on hairs.

Dosage: Used once time in a week

Presentations: MRP Retailer Stockist 100 gm 84.00 67.20 60.48

LOOK'S SHAVING CREAM

Compositions: Look's Shaving Cream which helps your razor slide across you skin for a smooth shaving.

Indications: For feather touch.

Dosage: As offered when needed.

 Presentations :
 MRP
 Retailer
 Stockist

 40 gm
 27.00
 21.60
 19.44

 70 gm
 42.00
 33.60
 30.24

LOOK'S AFTER SHAVING LOTION

Compositions: Na Soap, K Soap, Glycerin, Colour Perfumes.

Preservative. Indications: As Antiseptic Iotion. Dosage: As offered when needed. Presentations: MRP Retailer Stockist

100 ml 102.00 81.60 73.44

LOOK'S HAIR DYE

Compositions: Aqua/Water, Cetearyl , Alcohol, Deceth, Propylene Glycol, Laureth, Oleth-30, Ammonium Hydroxide, Lauric Acid, Hexadimethrine Chloride, Glycol Distarate Resorcinol, ethanol.

Indications: Controls hair fall. Dosage: As offered when needed.

Presentations: MRP Retailer Stockist

5 ml 5 00 4 00 3 60

5 ml 5.00 4.00 3.60 100 ml 98.00 78.40 70.56

LOOK'S HAIR DYE (NATURAL BLACK)

Compositions: Aqua/Water, Cetearyl, Alcohol, Deceth, Propylene Glycol, Laureth, Oleth-30, Ammonium Hydroxide, Lauric Acid, Hexadimethrine Chloride, Glycol Distarate Resorcinol, ethanolamine, Polyquaternium-22, Dimethicone. Indications: Give a dark tinge to the hair. Dosage: As offered when needed.

 Presentations:
 MRP
 Retailer
 Stockist

 5 ml
 7.00
 5.60
 5.04

 100 ml
 105.00
 84.00
 75.60

LOOK'S MEHANDI

Compositions: Aqua/Water, Cetearyl, Alcohol, Deceth, Propylene Glycol, Laureth, Oleth-30, Ammonium Hydroxide, Lauric Acid, Hexadimethrine Chloride, Glycol Distarate Resorcinol, ethanolamine, Polyquaternium-22, Dimethicone. Indications: natural coolant & thereby relieves headache. Dosage: As offered when needed.

Presentations:	MRP	Retailer	Stockist
5 ml	5.00	4.00	3.60
100 ml	98.00	78.40	70.56

LOOK'S TURMERIC CREAM

Compositions: Turmeric, Sandalwood oil, Excipients etc.

Indications: For Fair and Beautiful skin. Dosage: Used regularly.

Presentations:	MRP	Retailer	Stockist
15 gm	29.00	23.20	20.88
30 gm	50.00	40.00	36.00





Start with ASCARDILL Continue with ASCARDILL

Product ● Compositions ● Indications ● Dosage ● Contents

LOOK'S HAIR CONDITIONER SHAMPOO

Compositions: Heena, Mehandi, Neem, Ritha, Protein and others. **Indications:** Beauty secret for hair, clears dandruff. **Dosage:** Use two time at a week.

 Presentations :
 MRP
 Retailer
 Stockist

 50 ml
 27.50
 22.00
 19.80

 175ml
 85.00
 68.00
 61.20

LOOK'S BLEACH

Compositions: Cream 25% + Accelerrator 7% + Aloe Vera.

Indications: Acts as an Antiseptic. Dosage: Use one time at a month.

Presentations: MRP Retailer Stockist

Presentations: MRP Retailer Stockist 28 gm 44.17 35.34 31.81

LADY LOOK'S

Compositions: Each 100 ml. Contains

Kumkumadi Taila 20 ml., Asanamanjistadi Taila 80 ml.

Indications: For Fair and Beautiful Skin

Dosage: Used regularly.

 Presentations :
 MRP
 Retailer
 Stockist

 55 gm
 84.00
 67.20
 60.48

LOOK'S HAIR OIL

Compositions: Herbal Proteins, neem & Tulsi leaves.

Indications: Provides new life to hair strands.

Dosage: Use two time at a week.

Presentations: MRP Retailer Stockist 100 ml 66.00 52.80 47.52

LOOK'S ALL PURPOSE CREAM

Compositions: Turmeric, Sandal Wood oil, Excipients etc.

Indications: Anti dandruff & anti-bacterial.

Dosage: Use regularly.

Presentations: MRP Retailer Stockist 50 gm 62.50 50.00 45.00

LOOK'S FACE PACK

Compositions: Active Ingradients. Aloe Vera, Bearberry Extract, Sodium Lactate. Indications: Refreshes and rejuvenate the skin.

Dosage: Use two time at a week.

 Presentations:
 MRP
 Retailer
 Stockist

 125 gm
 75.00
 60.00
 54.00

LOOK'S SHAMPOO

Compositions: Borax, Carbopol, Castor oil, Chebulic myrobalan, Coconut monoethanolamide, Eclipta, Emblic, Hemidesmus, Indicus, Henna, Honey, Lemon, Juice, Licorice, Mango, Methyl Paraben, Perfumes.

Indications: Gives hair natural gloss and bounce.

Dosage: Use two time at a week.

 Presentations :
 MRP
 Retailer
 Stockist

 125 gm
 52.00
 41.60
 37.44



LOOK'S HONEY FOR FACE

Compositions: Honey, Glycerine, Aloe Vera & Vaseline.

Indications: Adds glow to the skin.

Dosage: Use regularly.

Presentations: MRP Retailer Stockist

LOOK'S AWALA OIL

Compositions: Amla, Almond, Pudina ka phool, Perfume, Vegetables

and Mineral oil & etc.

Indications: Strengthens hair roots **Dosage:** Used once time in a week

 Presentations:
 MRP
 Retailer
 Stockist

 60 ml
 12.00
 9.60
 8.64

 200 ml
 38.00
 30.40
 27.36

LOOK'S AWALA SHIKAKAI SHAMPOO

Compositions: Each 100 ml.contains

Awala, Shikakai, Mehandi, Methika, Brahmi, Brahmi, Bhringraj etc. Indications: increases bounciness and silkiness of hair

Dosage: Use one time at a week.

Presentations :	MRP	Retailer	Stockist
2 ml	1.00	0.80	0.72
25 ml	12.00	9.60	8.64
100 ml	40.00	32.00	28.80

LOOK'S ANTI DANDRUFF OIL

Each 100 ml. is prepared out of:

 Emblica officinalis
 45 g

 Glycyrrhiza glabra
 45 g

 Plongammia plonnata
 45 g

 Azhadiracta indica
 15 g

 Aloe vera
 20 g

 Rose sinenis
 10g

 Moniera cuniefolia
 12 g

 Eclipta alba
 12 g

 Cocus nucifera
 75 ml

 Sesamum indicum
 25 ml

Indications: Strengthens hair roots.

Dosage: 15 ml. to be applied on scalp and washed out after half An hour.Presentations:MRPRetailerStockist100 ml85.0068.0061.20

LOOK'S TRIPHLA POWDER

Compositions : Talc, Fragrance & Awala, Shikakai, Mehandi, Methika, Brahmi, Brahmi, Bhringraj etc.

Indications: increases bounciness and silkiness of hair.

Dosage: Take one time in a day.

 Presentations:
 MRP
 Retailer
 Stockist

 25 ml
 18.00
 14.40
 12.96

 100 ml
 35.00
 28.00
 25.20

LOOK'S POWDER (MINT)

Compositions: Talc, Fragrance & Calcium Carbonates with Mint

Powder.

Indications: Itching conditions skin.Dosage: As offered when needed.

 Presentations:
 MRP
 Retailer
 Stockist

 50 gm
 27.00
 21.60
 19.44

 100 gm
 52.00
 41.60
 37.44



CADROL is a drug belonging to the group of <u>beta blockers</u>, <u>a class of drugs</u> used primarily in cardiovascular diseases.

CADROL given additionally to standard therapy reduces mortality in patients with chronic heart failure.

5 mg or 10 mg once daily although doses up to 20 mg daily have been prescribed. Some patients, for example, those with marked kidney, liver or lung diseases, may be given 2.5 mg daily. CADROL can be taken with or without food. CADROL blocking these chemicals, which cause the heart to beat with less force and pump out less blood blood vessels are released and widoned allowing blood pressure to decrease.

◆ Product ◆ Compositions ◆ Indications ◆ Dosage ◆ Contents

LOOK'S HAIR TONIC

Compositions : Circuma zedoaria, Andropogan tubar, Vilamichu root, Narbostachys tatamansi, Elengi Flower oil Cyorus rotandus, Jasminum angusti folium root, Andropogan citrates, Menthol oil, Amla, Lata kasturi, Camphor

Indications: Relieves headache & induces sound sleep

Dosage: Used once time in a week

 Presentations :
 MRP
 Retailer
 Stockist

 60 ml
 48.00
 38.40
 34.56

 100 ml
 85.00
 68.00
 61.20

LOOK'S HAIR DYE (BROWN COLOUR)

Compositions: Aqua/Water, Cetearyl, Alcohol, Deceth, Propylene Glycol, Laureth, Oleth-30, Ammonium Hydroxide, Lauric Acid, Hexadimethrine Chloride, Glycol Distarate Resorcinol, ethanolamine, Polyquaternium-22, Dimethicone.

Indications: Helps colour and conditioner the hair naturally.

Dosage: As offered when needed.

 Presentations:
 MRP
 Retailer
 Stockist

 5 ml
 7.00
 5.60
 5.04

 100 ml
 104.00
 83.20
 74.88

LOOK'S MUD PACK

Compositions: Multani Mitti.

Indications : Makes skin soft & smoothDosage: Used two time at a week.

Presentations: MRP Retailer Stockist 100 gm 12.00 9.60 8.64

LOOK'S MUD PACK WITH NEEM

Compositions: Multani Mitti, Neem.

Indications: Removes acne, spots & cures prickly heat.

Dosage: Used two time at a week.

Presentations: MRP Retailer Stockist 100 gm 15.00 12.00 10.80

LOOK'S MUD PACK WITH HERBAL

Compositions: Multani Mitti

Indications: Improves blood circulation and adds glow to the skin.

Dosage: Used two time at a week.

 Presentations:
 MRP
 Retailer
 Stockist

 100 gm
 15.00
 12.00
 10.80

LOOK'S MUD PACK WITH ORANGE

Compositions: Multani Mitti.

Indications: Natural astringent and skin toner

Dosage: Used two time at a week.

Presentations: MRP Retailer Stockist 100 gm 15.00 12.00 10.80

LOOK'S SKIN OIL

Compositions : Acacia catechu, Albizzia lebbeck, Piper nigrum. **Indications :** Maintains natural oil balance **Dosage:** Used one time at a

week.

Presentations: MRP Retailer Stockist 60gml 120.00 96.00 86.40

NOZOL MINT

Presentations:	MRP	Retailer	Stockist
: As offered when need	led		
through nostril to enable you	to make breathing	cool, clean & comf	ortable. Dosage
Indiacations: Clears your	stuffy nose fast w	vhen you inhale me	edicated vapours
Nilgiri			06%
Winter Green Oil			14%
Kapoor			40%
Pudina kaool			40%
Each 1 ml. contains :			

10.00

8.00

7.20

NOZOL ICY COOL

Co	m	pos	siito	ns	:	
_						

1PC

_	-					
Each	1	ml.	cor	ıtai	ns	:

Pudina ka phool	40%
Kapoor	
Winter Green Oil	14%
Nilgiri	06%

Indiacations: Clears your stuffy nose fast when you inhale medicated vapours through nostril to enable you to make breathing cool, clean & comfortable.

Dosage: As offered when needed

Presentations: MRP Retailer Stockist 1PC 15.00 12.00 10.80

TAJ DIABA SWEETEX (HERBAL)

30 ml	. con	tents	ext	ract	of	:
-------	-------	-------	-----	------	----	---

Asparagus race mosus1	00	mg
Terminalia Chebula		
Tinospora Cordifolia	.50	mg
Glysrhiza Glabra		

Ext. of Stevia Leaves Zero Calories Sweetener agent .q.s.

Indications: With herbal extract less calories sweetness recommended for diabetic patients & the individual.

Dosage: Use 2-3 drops or as much as you require sweetness.

Presentations :	MRP	Retailer	Stockist
10 ml	45.00	36.00	32.40
50 ml	215.00	172.00	154.80

TAJ LIPGUARD

Compositions: Vaseline + Vegetarian oil.

Indications : Moisture Cream
Dosage : As offered when neede

 Presentations :
 MRP
 Retailer
 Stockist

 4 gm
 5.00
 4.00
 3.60

 15 gm
 25.00
 20.00
 18.00

TAJ ITCHUK GUARD

Compositions: Clotrimazole, menthol, Zinc Oxide, Cream base

Indications: Taj itchak Guard providers a powerful 4-way action, for quick relief from and dry itch skin conditions. Taj Itchak Guard is an anti-microbial that provides instant pain relief. Soothes the skin and leavers no scars. **Dosage**: 2 or 3 times daily.

Presentations:	MRP	Retailer	Stockist
12 gm	10.00	8.00	7.20
25 gm	22.00	17.60	15.84

(Metformin hydrochloride)

Glucoride® XR

GLUCORIDE tablets contain 500 mg, 850 mg, or 1000 mg of metformin hydrochloride. Each tablet contains the inactive ingredients povidone and magnesium stearate. In addition, the coating for the 500 mg and 850 mg tablets contains hypromellose and the coating for the 1000 mg tablet contains hypromellose and polyethylene glycol.

Product • Compositions • Indications • Dosage • Contents

☆ TAJ HERBAL TEA

Each 50 gm. contains:	
Rakt Chandan (Pterocarpus San Talinus)	.6 g
Tulsi (Ocimum Sanctum)	6 g
Hansh Raj (Adiantum Lunulatum)	6 g
Brahmi (Centalla Aciatica)	6 g
Hoph (Foeniculum Vulgare)	6 g
Kulinjan (Alpinia Galanga)	6 g
Mullaithi (Glycyrrhiza Glabra).	
Elayachi (Cinnamomum Zeylenicum)	4 g
Dal Chini (Cinnamomum Zeylenicum).	2 g
Banfasha (Viola odorata linn).	2 g
Lavang (Caryophyllus Aromaticum)	1 g
Tejpatra (Cinna momum Tamola)	3 g

Indications: It cures cold, cough and fever. It make a person active, Energetic and is refreshing, provides vigour and vitality, imprives digestion removes constipation.

Descriptions: This special herbal blend relaxes the nervous System and cleanses the digestive and circulatory systems. It is especially beneficial for colds, coughs, and asthma & Chest infections. A very good alternative for those addicted to black tea and coffee. It is absolutely caffeine free and hence very beneficial with no side effects.

Dosage: Boil 3/4th cup of water and add half teaspoon tea to it, Add milk and sugar as per taste, strain and drink.

Presentations :	MRP	Retailer	Stockist
50 gm	48.00	38.40	34.56
100 gm	95.00	76.00	68.40

TAJ MUGAL-E-AJAM SHARBAT

Compositions: Mixture of various juices. Indications: Soft Drink

Dosage: As offered when needed

Presentations:	MRP	Retailer	Stockist
500 ml	60.00	48.00	43.20
750 ml	84.00	67.20	60.48

TRISHUL BALM

Com	positi	ons:

Peppermint ka Phool	15%
Wintergreen Oil	10%
Nilgiri Tel	
Base	q.s.

Indications: Provides quick relief from headache, colds sprain and muscular pain.

Dosage : As offered when needed

Presentations :	MRP	Retailer	Stockist
5 gm	5.00	4.00	3.60
10 gm	10.00	8.00	7.20
30 gm	28.00	22.40	20.16

TAJ LAL TEL

Compositions: Clotrimazole, Methol, Zinc oxide, Cream base

Indications: Taj Lal Tail, a baby massage oil containing strengthening herbs to Make the baby's bones and muscles strong to aid him reach milestones faster.

Dosage: Used regularly upto 2 year's of age

Presentations:	MRP	Retailer	Stockist
60 ml	25.00	20.00	18.00
120 ml	45.00	36.00	32.40
200 ml	65.00	52.00	46.80

VAIDIC BALM

om	posit	ions:

Peppermint ka Phool	15%
Wintergreen Oil	10%
Nilgiri Tel	10%
Base	q.s.

Indications: Provides quick relief from headache, colds sprain and muscular pain.

Dosage: As offered when needed

Presentations :	MRP	Retailer	Stockist
5 gm	5.00	4.00	3.60
10 gm	10.00	8.00	7.20
30 gm	28.00	22.40	20.16

VATSALYA GRIPE WATER / WINGARD'S

(Two Trade Name)

Compositions: Anjir, Kishmish, Sauf, Ajwain, Honey.

Indications & Usage: Taj Gripe water keeps baby healthy by improving digestion & curing stomach ailments.

Dosage: 3 times a days.

Presentations :	MRP	Retailer	Stockist
30 ml	10.00	8.00	7.20
60 ml	20.00	16.00	14.40
125 ml	35.00	28.00	25.20

NUTRACEUTICALS PRODUCTS

DAIRYMAN INFANT MILK POWDER

Composition:

		22%
Milk Fat		18%
Carbohydrates :		
Lactose	32%	
Sucrose	18%	

 $NFANT\ MILK\ FOOD$ is made from partially skimmed milk, sugar, minerals and vitamins.

Special Features: Product formulated on guidelines set by Codex Commission of WHO/FAO. Marketed in India since last 2.5 years.I

Presentations: MRP Retailer Stockist

DAIRYMAN INSTANT FULL CREAM MILK POWDER

Composition:

Milk Fat	26% to	28%
Protein		26%
Carbohydrates		37%
Minerals		6%
Moisture		3%

Special Features: The product has more milk fat as compared to normal milk powders. It is packed under an atmosphere of Nitrogen. The product is creamy white in colour: Marketed in India since last 3 decades.

Presentations: MRP Retailer Stockist

Product ● Compositions ● Indications ● Dosage ● Contents

DAIRYMAN DAIRY WHITENER

Composition: Milk Fat 20% Milk Protein 21% Carbohydrates : ... Lactose 33% Sugar 18% Minerals 5% Moisture 3%

Special Features: Packed under an atmosphere of Nitrogen, has excellent natural miscibility (without the use of lecithin), has a fine granular texture. A convenient alternative to condensed milk.

Presentations: MRP Retailer Stockist

LACTOVITE

Combination of lactose and sugar Dosage: As per the Physician's advice

Indication: Lactovite caplets is indicated for prophylactic or therapeutic

conditions

 Presentations :
 MRP
 Retailer
 Stockist

 200gm
 95.00
 76.00
 66.50

 500 gm
 210.00
 168.00
 147.00

(NEW INTRODUCTION)

HIPPOS

Description:

HIPPOS is a clinically proven, non-sedating phytomedicine, which stimulates appetite, aids digestion and absorption and helps regulate normal gastrointestinal tract functions. Therapeutic category: Pediatric appetite stimulant (Non sedating)

Indications: Loss of appetite in children

Clinical Trial: An open non-comparative multi-centric clinical trial in paediatric patients with anorexia/ loss of appetite in progress.

Composition:

Each 5 ml contains

Pippali1	(Piper longum)15 m	ig
Shunthi2	(Zingiber officinale)15 m	ig
Saunf3	(Foeniculum vulgare)12.5 m	ıg
Jeera4	(Cuminum cyminum)10 m	ıg
Katuki5	(Picrorhiza kurroa)8 m	ıg
Yavanika	6 (Trachyspermum ammi)5 m	ıg
_		

Dosage: 2-8 yrs - 5 ml with water 15-30 mins before meals Above 8 yrs - 10 ml with water 15-30 mins before meals

Safety: No adverse effects are observed at recommended doses

Available as: Syrup 200 ml

Presentations: MRP Retailer Stockist 200 ml 39.78 31.824 28.64

AVEMOX 400 mg.

Contains: moxifloxacin hydrochloride BP..... 200 mg.

Indication : 1.Pneumonia 2.Bronchitis 3.Sinusitis 4.Skin infections **Dosa:** Adults: 400 mg once daily for 5 - 10 days Dose is determined on the basis of severity of the infection, type of infecting organism.

Presentations:MRPRetailerStockist250ml200.00160.00144.00

NERVOLIN CAPSULE

Each tablet Contains: Pregabalin75 mg.

Indication: 1.Epilepsy 2.Generalised anxiety disorder 3.Neuropathic

pain

Dosage: 150-300mg / day in 2 divided doses

Presentations: MRP Retailer Stockist 14 Cap. 810.00 648.00 583.20

FENACOR

Each hard gelatin capsule contains :

Fenofibrate B.P. 160 mg. Excipients q.s. Fenofibrate B.P. 200 mg. Excipients q.s.

Dosage: As Directed by the Physician. Store in a cool and dry

place.Protect from light

 Presentations:
 MRP
 Retailer
 Stockist

 10 Cap.
 86.00
 68.80
 61.92

 7 Cap.
 54.00
 43.20
 38.88

GLUCORIDE

Each hard gelatin capsule contains: Metformin hydrochloride 500 mg **Dosage:** Adults: Initial dose: 250mg twice or thrice daily with meals. Increase gradually at 2 week intervals, if required to a maximum of 3g daily. Children: Not applicable.

Presentations:MRPRetailerStockist10 Cap.11.008.807.92

TAJ BABY PRODUCTS



TAJ BABY SOAP

Ingredients: Sodium Palm Kernelate, Sodium Palmate, Water,
Mineral Oil, Fragrance, Glycerin, Titanium Dioxide, Dimethicone.

Presentations: MRP Retailer Stockist

TAJ BABY SHAMPOO

Ingredients: Sodium Laureth Sulfate, Sodium Lauroamphoacetate.

Presentations: MRP Retailer Stockist

TAJ BABY OIL

Ingredients: Mineral Oil, Alo Barbadensis extract, Vitamin E Acetate,

Fregrance.

Presentations: MRP Retailer Stockist

TAJ BABY LOTION

4 FDC Sachet

Contain: Rifampicin 450 mg / Isoniazid 225 mg / Ethambutol HCl 825 Pyrazinamide 1200 mg

For Termination of Undesired Pregnancy THE ABORTION PILL....

Mifebort (Mifepristone) blocks receptor of progesterone, a key hormone in establishing and maintaining a pregnancy.

Misobort (Misoprostol) a synthetic prostaglandin E1 analog that causes uterine contractions and bleeding.

MIFEBORT

Mifepristone Tablets 200 mg



MISOBOR¹

Misoprostol 200 mcg Tablet



MIFEBORT

Day One:

Three 200 mg tablets (600 mg.) of Mifebort are teken in single oral dose.

MISOBORT

Day Three:

Two days after ingesting Misobort patient should take two 200 mcg tables (400 mcg) of Misobort orally.











Taj Pharmaceuticals Ltd

No.1 Manufacturer of Anabolic steroids in in INDI



Deca-Duralin® Nandrolone Decanoate for injection

SUSTRONE® testosterone propionate 30 mg 250 is an oil-based injectable

(testosterone blend)

testosterone isocaproate 60mg testosterone decanoate, 100 mg.

50 mg/ml Winstral-Depot 10 ML

Testosterone Cypionate Injection (USP)

50 mg/mL .100 mg/mL and 200 mg/mL

Stanozolol(intra-muscular)

Effective Dose -100mgs (optimal) (Oxymetholone) 50 mg Tablets

5 mg/tablet Methandrostenolone

Clenbuterol 40 mcg/tablet

50 tablets

Methenolone Enanthate 100 mg/ml Class I steroid

10 tablets/foil

Boldenone Undecylenate 250 mg/ml

Mesterolone 25 mg/tablet

1 bottle contains 100 tables x 10mg/tablet ANAVII Oxandrolone 10 mg/tablet

Copyright © 2002-2008 Taj Pharmaceuticals Ltd (Taj Group), All rights reserved. This information is intended only for Exports. Taj Pharmaceuticals Ltd is a pharmaceutical company committed to helping people improve their health by discovering and developing medicines.

Note: Above products are approved for overseas (Export) market only., These products are not marketed in India and Nepal. Except: Deca-Duralin®




Diseases including

HIV AIDS

MeCOO

HIV PRODUCTS

(First Launch in India)



New HIV | AIDS products range



New Single-Day

DECTROVIR

Lamivudine 150 mg / Zidovudine USP 300 mg

Lamovir-S (Stavudine 30 mg / Lamivudine 150 mg)

DECTROVIR -N
Lamivudine 150 mg / Zidovudine USP 300 mg / Navirapine 200 mg

TRIASUNE
Nevirapine 200 mg / Lamivudine 150 mg / Stavudine 30 mg

FOR TUBERCULOSIS

TRIP

Rifampicin 450mg INH 150mg
Ethambutol 800 Mg. Combi-pack



$\mathbf{TRIP} ext{-}\mathbf{Max}^{\!\scriptscriptstyle{\mathsf{M}}}$

Rifampicin 450mg INH 150mg, Pyrazinamide-1500 mg. & Ethambutol 800 Mg. Combi-pack

TRIP-Mini

Rifampicin 100mg, INH 50mg, & Pyrazinamide-300 mg. Combi-pack

Eradicate Tuberculosis with I Combi-Pack.

Calcium & Vitamin D₃ Tablets BONYCAL®

A Taj Pharmaceuticals Brand





हड्डीयों में डाले शक्ति आप करें मस

Selected Superbrands 7 2007 Taj Pharmaceuticals Limited.

Get good blood sugar control with inhable REXSULIN



CARDISEC*LA
(diltiazem HCI) Tablets







Copyright @ 2002-2008 Taj Pharmaceuticals Ltd (Taj Group). All rights reserved. This information is intended only for Exports. All above Trademarks are registered to Taj Pharmaceuticals limited (Taj group) Taj Pharmaceuticals Ltd. is a pharmaceutical company committed to helping people improve their health by discovering and developing medicines.

Taj Pharmaceuticals Limited (Export Division) FDA Drug Approvals 2008

The following drugs have recently been approved by the USA FDA for Taj pharmaceuticals Ltd. Includes newly approved drugs and new indications for drugs already approved.

New Drug Approvals











Copyright © 2002-2008 Taj Pharmaceuticals Ltd (Taj Group). All rights reserved. This information is intended only for Exports. Taj Pharmaceuticals Ltd is a pharmaceutical company committed to helping people improve their health by discovering and developing medicines.

Note: Above products are approved for overseas (Export) market only., These products are not marketed in India and Nepal.

TAJ PHARMA



Overview of the Project:

This is the most glorious moment of our company as we are establishing first ever Pharma city (a division of Taj Pharmaceuticals Ltd.) in the whole world that will consists all the manufacturing facilities within the same campus. Our company has felt that most of the pharmaceuticals companies in India dissipate lot of time in outsourcing different types of products from the different manufactures of India, and so far there are no facilities in world available where you can manufacture most the products within the same campus.

The Indian pharmaceutical sector has come a long way, from being almost non existence during the 1970s to a prominent provider of health care products, meeting almost 90 per cent of country's pharmaceutical needs today. The total Indian market at present is valued at about US\$6.4 billion and is expected to grow to US\$25 billion by 210.

Taj Pharmaceutical Limited Mega Project is approved by USA - FDA, MCA - FDA (Britain) & WHO - GMP. Scheduled 'M' certified by the Government of India

So, this Prominent Industry will be sure going to prove golden swan of the Indian economy.

Silent features of Taj Pharmacity:

A)That, it will consists World class Tablet Manufacturing plant/ Capsule Manufacturing Plant/ Soft Gelleting Plant/Cosmetic Plant/ Injection Plant/Bio Technology Park etc. and These Plants will offer facilities for manufacturing almost every range of medicines within the same roof. So, that will save the additional costs of the transportation as well as harassment of the marketing company as we will avail above mentioned products portfolio within the same campus in resulting more efficiency of the company's products and their qualities.

B)That, you may manufacture your company's product for the domestic as well as international market as per your packing, quantity and quality Preference

Supplementary Benefits:

A)That, Taj Pharmacity will organize monthly trade fair within its campus where retailers/stockiest/Marketer etc. can buy consignments of medicines on manufacturing cost. (Conditions Apply)

B)That, Taj Pharmacity will install world class library which will have numerous books for its visitors and staff where they can gain more knowledge about Pharma world. & we will have a 'Guest House' with all the modern amenities which will suits both the Indian as well as foreign associates of our company and stockiest/marketer etc. and you may book that place in advance before visiting the Taj Pharmacity to ensure the availability of place. All the expenses such as food, traveling etc. will be bear by the company.

C)That, we will avail all the technical help and modern technology to those companies who wish to excel or set up manufacturing units in very limited resources where its financial or infrastructure development and with the help of our technology they will able to attain highest growth in manufacturing and marketing with their own limited resources.

R & D Department:

Our company will have all the modern equipments with world class lab as per the norms of latest scientific guidelines. We will avail various sponsorships, scholarships to the researcher those who wish to excel R & D in Pharmaceuticals Industr We will offer lower cost of R & D Facilities to companies round the globe those who want to pursue their products R & D in our lab.

Doctor's Corner:

A)That, our company will offer financial help / sponsorships to those doctors who want to excel in R & D department Pharma Industry.

B)That, our company is also availing loans to the doctors for their Homes/Hospitals/Nursing Homes etc. for further details of this scheme you may visit our website: www.tajfordoctors.com, and you download form from the website and send to us.

Evaluations of Taj Pharmacity:

Pharma is right now one of the most happening sectors in the economy. The domestic players are competing fiercely with the foreign players. The opportunity is huge and domestic players are gearing up for it. The results will come with time.





" Billions of heartbeats evaluates by Taj Pharmaceuticals Products in the world "



Taj group of companies

Worldwide Distribution















-Washing and was and my language was mandam was and



















full line of over-the-counter products **SUPER COUNTER** keeping in mind peoples day to day needs

> For Export Products | www.exportdrugsbazar.com For Domestic.... www.drugbazarindia.com

www.fetrasil.com









www.hitoforhight.com











Taj Pharmaceuticals Ltd. MEGA PROJECT

Approved by USA - FDA, MCA-FDA (Britain). TGA - Australia & W.H.O. Scheduled 'M' Certified by the Government of India.

Manufacturing Units













 The Total worth of the project will be round About Rs. 1240 Crores (Indian Currency)

For Export Products | www.exportdrugsbazar.com www.exportdrugsales.com Search



For Domestic | www.drugsmandi.com www.drugbazarindia.com

You may manufacture your company's product for the domestic as well as international market as per your packing, quantity and quality preference.

Taj Pharmacity will also organize monthly trade fair within its campus where Stockiest / Retailers etc. Can buy consignments of medicines on manufacturing cost. (Conditions Apply)





Regd. Office - 434, Laxmi Plaza, Laxmi Industrial Estate, New Link Road, Andheri (w) Mumbai - 400 053. Phone: 91-22-26374592 / 93, 91-22-30601000, 91-22-30601001. Fax: 022-26341274, Mobile: 09819766682

E-mail: tajgroup@tajpharmaceuticals.com / tajpharmaceuticals@rediffmail.com Website: www.tajpharmaceuticals.com; www.tajfordoctors.co.in